



# OUTDOOR **Makita** POWER EQUIPMENT

2024 / 2025



EXPERIENCE MORE™

[makita.co.nz/products/OPE](https://makita.co.nz/products/OPE)



40V | 80V max

# OUTDOOR POWER EQUIPMENT



LAWN MOWERS



POLE SAWS



SPRAYERS



LINE TRIMMERS & BRUSHCUTTERS



PRUNING SAW



PRESSURE WASHER



EDGER



BLOWERS



HEDGE TRIMMERS



SCRUBBER / POLISHER



SPLIT SHAFT ATTACHMENT SYSTEM



POLE HEDGE TRIMMERS



AUGERS



CHAINSAWS



LAWN SCARIFIER



VACUUM SWEEPER

## XGT 40V / 80VMAX

■ LINE TRIMMERS ■ SPLIT SHAFT  
■ BRUSHCUTTERS ■ POWER HEAD

Pg. 4-5

■ CHAINSAWS  
■ HEDGE TRIMMERS

Pg. 6-7

■ LAWN MOWER ■ WATER BLASTER  
■ LAWN SCARIFIER ■ SWEEPER

Pg. 8

■ BLOWERS, EARTH AUGERS  
■ POLESAW / HEDGE TRIMMER

Pg. 9

BATTERIES

Pg. 10-11

# LXT 18V | 36V

## OUTDOOR POWER EQUIPMENT



LAWN MOWERS



POLE SAWS



SPRAYERS



LINE TRIMMERS  
& BRUSHCUTTERS



PRUNING SAWS



PRESSURE WASHER



BLOWERS



POWER WASHER



SPLIT SHAFT  
ATTACHMENT SYSTEM



BLOWER / VACUUM



AUGERS



SPLIT SHAFT  
ATTACHMENT SYSTEM



HEDGE  
TRIMMERS



MATERIAL  
HANDLING



SAWS



POLE HEDGE  
TRIMMERS



PRUNING SHEARS

### CONNECTX



### LXT 18V / 36V CORDLESS

#### CONNECTX

Pg. 12-15

#### ROBOTIC MOWER

Pg. 18-19

#### ■ LINE TRIMMERS

Pg. 20-21

#### ■ SPLIT SHAFT ■ BLOWERS

Pg. 22-23

#### ■ CHAINSAWS / POLESAW ■ PRUNING SAW

Pg. 24-25

#### ■ HEDGE TRIMMERS

Pg. 26-27

#### ■ SHEARS / PRESSURE WASHER ■ MATERIAL HANDLING, SPRAYER

Pg. 28-29



**XGT** 40V<sub>max</sub>  
**UR002GM102**  UR002GZ

40V<sub>max</sub> XGT Brushless Brushcutter - Bike Handle

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.55kW of max power output
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	550W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,760mm
SKIN TOOL WEIGHT	4.0kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & Charger (DC40RC)



**XGT** 40V<sub>max</sub>  
**UR016GM101**  UR016GZ01

40V<sub>max</sub> XGT Brushless Line Trimmer - Bike Handle

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.60kW of max power output
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	600W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,890mm
SKIN TOOL WEIGHT	4.01kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)



**XGT** 40V<sub>max</sub>  
**UR017GM101**  UR017GZ01

40V<sub>max</sub> XGT Brushless Line Trimmer - Loop Handle

- 3 stage speed control up to 6,500rpm with reverse switch
- Powerful brushless motor provides 0.60kW of max power output
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type

POWER OUTPUT	600W
NO LOAD SPEED (RPM)	6,500 / 5,300 / 4,000
NYLON HEAD	330mm
4T METAL BLADE	230mm
3T METAL BLADE	230mm
SHREDDER BLADE	-
PLASTIC BLADE	255mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,792mm
SKIN TOOL WEIGHT	3.4kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)

NEW SPRING RELEASE




**XGT** 40V<sub>max</sub>  
**UE001GZ**

40V<sub>max</sub> XGT Brushless Lawn Edger

- Constant speed control up to 4,800rpm
- Output similar to 30cc class engine-powered edgers
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type
- Approx. Continuous Run Time 18min with BL4050F (under load)

POWER OUTPUT	1,100W
NO LOAD SPEED (RPM)	0-4,800
BLADE DIAMETER	203mm (8")
MAX CUTTING DEPTH	59mm
VARIABLE SPEED CONTROL	Trigger
SPINDLE THREAD	M10 x 1.25 LH
LOCK-OFF FUNCTION	Yes
ELECTRIC BRAKE	YesH
OVERALL LENGTH	1,901mm
SKIN TOOL WEIGHT	5.41kg

**LINE TRIMMER / BRUSHCUTTER CHART**



**XGT** 80V<sub>max</sub>  
**UR012GM201**  UR012GZ02

80V<sub>max</sub> (40Vx2) XGT Brushless Brushcutter - Bike Handle

- 3 stage speed control up to 6,400rpm with reverse function
- Powerful brushless motor produces 2.0kW maximum output
- Active feedback technology - prevents kickback when using a blade
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	2,000W
NO LOAD SPEED (RPM)	6,800 / 4,200 / 3,500
NYLON HEAD	480mm
4T METAL BLADE	255mm
3T METAL BLADE	230 / 305mm
2T METAL BLADE	255mm
PLASTIC BLADE	255 / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,854mm
SKIN TOOL WEIGHT	6.7kg

Kit includes:  
2 x 4.0Ah batteries (BL4040) & rapid dual charger (DC40RB)



**XGT 40Vmax**  
**UR006GM101**  UR006GZ02  
 40Vmax XGT Brushless Brushcutter - Bike Handle

- 3 stage speed control up to 7,000rpm with reverse switch
- Powerful brushless motor provides 1.0kW of max power output
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	7,000 / 5,500 / 4,600
NYLON HEAD	330mm
4T METAL BLADE	230 / 255mm
3T METAL BLADE	230 / 255mm
2T METAL BLADE	255mm
PLASTIC BLADE	255 / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,815mm
SKIN TOOL WEIGHT	4.9kg

Kit includes:  
 1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



**XGT 40Vmax**  
**UR008GM101**  UR008GZ01  
 40Vmax XGT Brushless Brushcutter - Loop Handle

- 3 stage speed control up to 7,000rpm with reverse switch
- Powerful brushless motor provides 1.0kW of max power outputs
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	7,000 / 5,500 / 4,600
NYLON HEAD	330mm
4T METAL BLADE	230 / 255mm
3T METAL BLADE	230 / 255mm
2T METAL BLADE	255mm
PLASTIC BLADE	255 / 305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,803mm
SKIN TOOL WEIGHT	5.0kg

Kit includes:  
 1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



**XGT 40Vmax**  
**UR013GM101**  UR013GZ01  
 40Vmax XGT Brushless Brushcutter - Bike Handle

- 3 stage speed control up to 6,700rpm with reverse switch
- Powerful brushless motor provides 1.5kW of max power output
- Active feedback technology - prevents kickback when using a blade
- Bike handle design for comfortable use and increased maneuverability

POWER OUTPUT	1,500W
NO LOAD SPEED (RPM)	6,700 / 5,000 / 3,500
NYLON HEAD	450mm
4T METAL BLADE	255mm
2T / 3T METAL BLADE	255mm
SHREDDER BLADE	270mm
PLASTIC BLADE	305mm
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,966mm
SKIN TOOL WEIGHT	5.3kg

Kit includes:  
 1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



**XGT 40Vmax**  
**UR014GM101**  UR014GZ  
 40Vmax XGT Brushless Brushcutter - Loop Handle

- 3 stage speed control up to 5,700rpm with reverse switch
- Powerful brushless motor provides 1.5kW of max power outputs
- Active feedback technology - prevents kickback when using a blade
- Loop Handle type

POWER OUTPUT	1,500W
NO LOAD SPEED (RPM)	5,700 / 5,000 / 4,000
NYLON HEAD	450mm
4T METAL BLADE	-
3T METAL BLADE	-
2T METAL BLADE	-
PLASTIC BLADE	-
SPINDLE THREAD	M10 x 1.25 LH
OVERALL LENGTH	1,958mm
SKIN TOOL WEIGHT	4.8kg

Kit includes:  
 1 x 4.0Ah battery (BL4040) & rapid charger (DC40RA)



**XGT 40Vmax**  
**UX01GM106**  UX01GZ  
 40Vmax XGT Brushless Split Shaft Power head

- Powerful Brushless 52 Motor Enables to Work under Heavy Load
- No Load Speed of 9,700rpm
- 3 Speed selection (High/Medium/ Low)
- Compatible with a variety of Makita couple shaft attachments for various applications
- Variable speed trigger switch for controlled cutting speed

POWER OUTPUT	1,000W
NO LOAD SPEED (RPM)	9,700
MED	8,200
LOW	5,700
HANDLE STYLE	Loop handle
VARIABLE SPEED	Yes
REVERSING SWITCH	Yes
OVERALL LENGTH	1,027mm
SKIN TOOL WEIGHT	3.5kg

Kit includes:  
 1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)



**MULTI-FUNCTION POWERHEAD**  
 SELECT YOUR APPLICATION

**18 ATTACHMENTS**



\*Snow Blower Attachment

10"



**XGT** 40V<sub>max</sub>

**UC002GM103** UC002GZ02  
40V<sub>max</sub> XGT Brushless 25cm 10" Top Handle Chainsaw

- 40V<sub>max</sub> XGT Outer Rotor brushless motor provides chain speed of 0-1,490m/min, Equivalent to 30cc class engine chain saw\*
- Comes with High-performance 325 saw chain for efficient cutting
- Captive bar nut allows for efficient chainsaw maintenance

POWER OUTPUT	1,400W
BAR & CHAIN LENGTH	(10") 250mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	1,490m/min
NOISE: dB	100dB
TOOLLESS CHANGE	No
OVERALL LENGTH	266mm
SKIN TOOL WEIGHT	3.8kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)

14"



**XGT** 40V<sub>max</sub>

**UC004GZ02** UC004GZ02  
40V<sub>max</sub> XGT Brushless 35cm 14" Top Handle Chainsaw

- 40V<sub>max</sub> XGT Outer Rotor brushless motor provides chain speed of 0-1,490m/min, Equivalent to 30cc class engine chain saw\*
- Comes with High-performance 325 saw chain for efficient cutting
- Captive bar nut allows for efficient chainsaw maintenance

POWER OUTPUT	1,400W
BAR & CHAIN LENGTH	(14") 350mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	1,490m/min
NOISE: dB	100dB
TOOLLESS CHANGE	No
OVERALL LENGTH	266mm
SKIN TOOL WEIGHT	3.8kg

Kit includes:  
Skin tool Only

14"



**XGT** 40V<sub>max</sub>

**UC004GM101** UC004GZ  
40V<sub>max</sub> XGT Brushless 35cm 14" Top Handle Chainsaw

- 40V<sub>max</sub> XGT Outer Rotor brushless motor provides chain speed of 0-1,490m/min, Equivalent to 30cc class engine chain saw\*
- Additional safety & control with a kickback brake and metal bumper
- Captive bar nut allows for efficient chainsaw maintenance

POWER OUTPUT	1,400W
BAR & CHAIN LENGTH	(14") 350mm
OIL TANK CAPACITY	200ml
STANDARD CHAIN	3/8" / 043
CHAIN SPEED: m/3	1,490m/min
NOISE: dB	100dB
TOOLLESS CHANGE	No
OVERALL LENGTH	266mm
SKIN TOOL WEIGHT	3.8kg

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)

18"



**XGT** 40V<sub>max</sub>

**UC013GT101** UC013GZ  
40V<sub>max</sub> XGT Brushless 45cm 18" Chainsaw

- Max output power equivalent to 40cc petrol saws
- Captive bar nut allows for efficient chainsaw maintenance
- Max chain speed of 25.5m/s for fast effective cutting
- Metal bar spike for additional safety

POWER OUTPUT	1,600W
BAR & CHAIN LENGTH	(18") 450mm
OIL TANK CAPACITY	260ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	1,530m/min
NOISE: dB	102dB
TOOLLESS CHANGE	No
OVERALL LENGTH	445mm
SKIN TOOL WEIGHT	4.5kg

Kit includes:  
1 x 5.0Ah battery (BL4050F), rapid charger (DC40RA)

14"



**XGT** 40V<sub>max</sub>

**UC022GT101** UC022GZ  
40V<sub>max</sub> XGT Brushless 35cm 14" Chainsaw

- High efficiency brushless motor provides power equivalent to a 35cc petrol chainsaw
- Max chain speed of 25.5m/s for fast effective cutting
- Metal bar spike for additional safety and control
- High water resistance (IPX4) for use in all seasons

POWER OUTPUT	1,600W
OIL TANK CAPACITY	200mL
BAR LENGTH	35cm (14")
CHAIN TYPE	80TXL
CHAIN PITCH	0.325
CHAIN GAUGE	1.1 (0.043)
CHAIN SPEED	1,530m/min
OVERALL LENGTH	752mm
SKIN TOOL WEIGHT	5.1kg

Kit includes:  
1x 5.0Ah Battery (BL4050F) & Rapid Charger (DC40RA)

16"



**XGT** 40V<sub>max</sub>

**UC023GT101** UC023GZ  
40V<sub>max</sub> XGT Brushless 40cm 16" Chainsaw

- High efficiency brushless motor provides power equivalent to a 35cc petrol chainsaw
- Max chain speed of 25.5m/s for fast effective cutting
- Metal bar spike for additional safety and control
- High water resistance (IPX4) for use in all seasons

POWER OUTPUT	1,600W
BAR LENGTH	(16") 400mm
OIL TANK CAPACITY	200ml
CHAIN TYPE	80TXL
CHAIN PITCH	0.325
CHAIN GAUGE	1.1 (0.043)
CHAIN SPEED	1,530m/min
OVERALL LENGTH	752mm
SKIN TOOL WEIGHT	5.0kg

Kit includes:  
1x 5.0Ah Battery (BL4050F) & Rapid Charger (DC40RA)

14"



**XGT** 40V<sub>max</sub>

**UC025GT101** UC025GZ  
40V<sub>max</sub> XGT Brushless 35cm 14" Top Handle Chainsaw

- Performance equivalent to 35cc petrol saws
- Captive bar nut allows for efficient chainsaw maintenance
- Max chain speed of 25.5m/s for fast effective cutting
- Metal bar spike for additional safety and control

POWER OUTPUT	1,600W
BAR LENGTH	(14") 350mm
OIL TANK CAPACITY	200ml
CHAIN TYPE	80TXL
CHAIN PITCH	0.325
CHAIN GAUGE	1.1 (0.043)
CHAIN SPEED	1,530m/min
OVERALL LENGTH	792mm
SKIN TOOL WEIGHT	5.1kg

Kit includes:  
1x 5.0Ah Battery (BL4050F) & Rapid Charger (DC40RA)

16"



**XGT** 40V<sub>max</sub>

**UC026GT101** UC026GZ  
40V<sub>max</sub> XGT Brushless 45cm 18" Chainsaw

- Performance equivalent to 35cc petrol saws
- Captive bar nut allows for efficient chainsaw maintenance
- Max chain speed of 25.5m/s for fast effective cutting
- Metal bar spike for additional safety and control

POWER OUTPUT	1,600W
BAR LENGTH	(16") 400mm
OIL TANK CAPACITY	200ml
CHAIN TYPE	80TXL
CHAIN PITCH	0.325
CHAIN GAUGE	1.1 (0.043)
CHAIN SPEED	1,530m/min
OVERALL LENGTH	792mm
SKIN TOOL WEIGHT	5.1kg

Kit includes:  
1x 5.0Ah Battery (BL4050F) & Rapid Charger (DC40RA)



**XGT 40Vmax**  
**UH020GD102**  UH020GZ  
 40Vmax XGT Brushless 500mm Hedge Trimmer

- Lightweight at 3.0kg with 2.0Ah battery
- Continuous runtime approx.110mins no load with BL4020
- 20mm maximum cutting diameter
- Two handed safety switch
- Electric brake for fast blade stopping

POWER OUTPUT	460W
STROKES PER MIN	Up to 4,200spm
BLADE LENGTH	500mm
CUTTING WIDTH	20mm
NOISE: dB	93dB
OVERALL LENGTH	929mm
SKIN TOOL WEIGHT	2.30kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), charger (DC40RC)



**XGT 40Vmax**  
**UH021GD102**  UH021GZ  
 40Vmax XGT Brushless 600mm Hedge Trimmer

- Lightweight at 3.1kg with 2.0Ah battery
- Continuous runtime approx.105mins no load with BL4020
- 20mm maximum cutting diameter
- Two handed safety switch
- Electric brake for fast blade stopping

POWER OUTPUT	460W
STROKES PER MIN	Up to 4,200spm
BLADE LENGTH	600mm
CUTTING WIDTH	20mm
NOISE: dB	93dB
OVERALL LENGTH	1,048mm
SKIN TOOL WEIGHT	2.31kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), charger (DC40RC)



**XGT 40Vmax**  
**UH004GD102**  UH004GZ  
 40Vmax XGT Brushless 600mm Hedge Trimmer

- Designed for trimming twigs, thin branches or dense hedges
- 3 stage speed control with reverse switch
- Max branch diameter of 23.5mm
- Low vibration design allows for maximum user comfort
- Rotating rear handle provides best grip whilst in use

POWER OUTPUT	720W
STROKES PER MIN	5,000 /3,600 / 2,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	23.5mm
MAX.CUT OPENING	35mm
NOISE: dB	96dB
VIBRATION LEVEL	2.9m/s <sup>2</sup>
OVERALL LENGTH	1,120mm
SKIN TOOL WEIGHT	3.61kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), charger (DC40RC)



**XGT 40Vmax**  
**UH006GD102**  UH006GZ  
 40Vmax XGT Brushless 600mm Hedge Trimmer

- Designed ideally for rough cutting of thick branches
- 3 stage speed control with reverse switch
- Max branch diameter of 25mm
- Low vibration design allows for maximum user comfort

POWER OUTPUT	720W
STROKES PER MIN	4,000 /3,000 / 2,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	25mm
MAX.CUT OPENING	38mm
NOISE: dB	92dB
VIBRATION LEVEL	3.0m/s <sup>2</sup>
OVERALL LENGTH	1,123mm
SKIN TOOL WEIGHT	3.67kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), charger (DC40RC)



**XGT 40Vmax**  
**UC029GZ**  
 40Vmax XGT Brushless 150mm Pruning Saw

- Pruning saw intended for pruning both trees and shrubs and reducing pruning waste
- Bigger Motor means up to 60% Faster compared to 18V model
- Narrow 1.1mm chain for longer runtime
- Max chain speed of 8.0m/s for smooth cutting
- Automatic chain lubrication

POWER OUTPUT	
BAR & CHAIN LENGTH	(6") 150mm
OIL TANK CAPACITY	55ml
STANDARD CHAIN	325 / 043
CHAIN SPEED: m/3	480m/min
NOISE: dB	90dB
TOOLLESS CHANGE	Yes
OVERALL LENGTH	476mm
SKIN TOOL WEIGHT	1.3kg

Skin tool Only (Battery not included)



**XGT 40Vmax**  
**UH008GD101**  UH008GZ  
 40Vmax XGT Brushless 600mm Hedge Trimmer

- Designed for precision trimming of dense hedges
- 3 stage speed control with reverse switch
- Max branch diameter of 21.5mm
- Low vibration design allows for maximum user comfort
- Rotating rear handle provides best grip whilst in use

POWER OUTPUT	720W
STROKES PER MIN	5,000 /3,600 / 2,000
BLADE LENGTH	600mm
MAX.BRANCH THICKNESS	21.5mm
MAX.CUT OPENING	35mm
NOISE: dB	95dB
VIBRATION LEVEL	3.1m/s <sup>2</sup>
OVERALL LENGTH	1,123mm
SKIN TOOL WEIGHT	3.57kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), rapid charger (DC40RA)



**XGT 40Vmax**  
**UH005GD101**  UH005GZ  
 40Vmax XGT Brushless 750mm Hedge Trimmer

- Rotating rear handle can be adjusted 90 degrees left and right
- Anti-vibration structure reduces vibrations transferred to the user
- 23.5mm maximum cutting diameter
- 3 stage variable speed control with blade release function
- Premium sharp edge curve blade design

POWER OUTPUT	720W
STROKES PER MIN	5,000 /3,600 / 2,000
BLADE LENGTH	750mm
MAX.BRANCH THICKNESS	23.5mm
MAX.CUT OPENING	35mm
NOISE: dB	97dB
VIBRATION LEVEL	3.1m/s <sup>2</sup>
OVERALL LENGTH	1,123mm
SKIN TOOL WEIGHT	3.78kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), rapid charger (DC40RA)



**XGT 40Vmax**  
**UH007GD101**  UH007GZ  
 40Vmax XGT Brushless 750mm Hedge Trimmer

- Designed for heavy duty pruning and shaping
- 3 stage speed control with reverse switch
- Max branch diameter of 25mm
- Low vibration design allows for maximum user comfort
- Rotating rear handle provides best grip whilst in use

POWER OUTPUT	720W
STROKES PER MIN	4,000 /3,000 / 2,000
BLADE LENGTH	750mm
MAX.BRANCH THICKNESS	25mm
MAX.CUT OPENING	38mm
NOISE: dB	97dB
VIBRATION LEVEL	3.4m/s <sup>2</sup>
OVERALL LENGTH	1,274mm
SKIN TOOL WEIGHT	3.88kg

Kit includes:  
 1 x 2.5Ah battery (BL4025), rapid charger (DC40RA)

15"



**XGT** 40V<sub>max</sub>

**LM003GL101** **LM003GM103** **LM003GZ**

40V<sub>max</sub> XGT 380mm (15") Lawn mower

- No petrol, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Ergonomic high grade plastic deck weighs less for reduced required push force and easier transport
- Ideal for small to medium sized yards
- Folding handle for compact upright storage
- Rubberised soft grip handle bar for added comfort
- Extreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions

Kit includes:  
1 x 8.0Ah battery (BL4080F) & Dual charger (DC40RB)  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)

17"



**XGT** 40V<sub>max</sub>

**LM004GL101** **LM004GL103** **LM004GZ**

40V<sub>max</sub> XGT 430mm (17") Lawn mower

- No petrol, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Ergonomic high grade plastic deck weighs less for reduced required push force and easier transport
- Ideal for small to medium sized yards
- Folding handle for compact upright storage
- Rubberised soft grip handle bar for added comfort
- Extreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions

Kit includes:  
1 x 8.0Ah battery (BL4080F) & Dual charger (DC40RB)  
1 x 4.0Ah battery (BL4040) & charger (DC40RC)

18"



**XGT** 40V<sub>max</sub>

**LM001GM101** **LM001GZ**  
40V<sub>max</sub> XGT Brushless 480mm (18") Self-Propelled Lawn mower

- Quick to engage self-propelled motor with variable speed
- 18" heavy duty Metal deck with 4 swing back blades
- No Load Speed of up to 3,300rpm / 2,500rpm
- Holds 2 x 40V batteries with Large L.E.D Battery level indicator
- 62L collection capacity with mulching & rear discharge

POWER OUTPUT	1,900W
CUTTING WIDTH	480mm (18")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	3,200-2,500
SKIN TOOL WEIGHT	28kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & Dual rapid charger (DC40RB)

21"



**XGT** 40V<sub>max</sub>

**LM002GM101** **LM002GZ**  
40V<sub>max</sub> XGT Brushless 534mm (21") Self-Propelled Lawn mower

- Quick to engage self-propelled motor with variable speed
- 534mm (21") Metal deck with 4 swing back blades
- No Load Speed of up to 2,800rpm
- 70L collection capacity with mulching & rear discharge
- Holds 2x 40V batteries with Battery capacity warning function

POWER OUTPUT	1,900W
CUTTING WIDTH	534mm (21")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	2,800-2,300
SKIN TOOL WEIGHT	29.6kg

Kit includes:  
1 x 4.0Ah battery (BL4040) & Dual rapid charger (DC40RB)

15"



**XGT** 40V<sub>max</sub>

**UV001GZ**  
40V<sub>max</sub> XGT Brushless 380mm (15") Lawn Scarifier

- Working depth of +5mm down to -12mm for a range of applications
- Vertical cutting and de-thatching blades as standard
- 1.7kW Max output power to power through thick grasses
- Up to 41 minutes runtime with 2 x BL4080F batteries
- Constant speed control to maintain cutting efficiency

FILTER TYPE	HEPA
MAX SEALED SUCTION	23kPa
CONTAINER VOLUME	24L
MAIN BRUSH WIDTH	480mm
MAIN BRUSH SPEED	300rpm (Standard)
SIDE BRUSH DIAMETER	630mm
SIDE BRUSH SPEED	160rpm (Standard)
CONTINUOUS RUN-TIME	480mins w/BL4080F
SKIN TOOL WEIGHT	33.1kg



**XGT** 40V<sub>max</sub>

**VS001GL201** **VS001GZ**  
40V<sub>max</sub> XGT Brushless Vacuum Sweeper

- 650mm Cleaning width including side brush
- 2 Stage brush speed control with vacuum selection
- 120 mins of continuous operation with 2 x BL4050F (Standard mode)
- 24L Debris collection capacity
- HEPA Filter with automatic filter cleaning function

FILTER TYPE	HEPA
MAX SEALED SUCTION	23kPa
CONTAINER VOLUME	24L
MAIN BRUSH WIDTH	480mm
MAIN BRUSH SPEED	300rpm (Standard)
SIDE BRUSH DIAMETER	630mm
SIDE BRUSH SPEED	160rpm (Standard)
CONTINUOUS RUN-TIME	480mins w/BL4080F
SKIN TOOL WEIGHT	33.1kg

Kit includes:  
2x 8.0Ah Batteries (BL4080F) & Dual Rapid Charger (DC40RB)



**XGT** 40V<sub>max</sub>

**HW001GT101** **HW001GZ**  
40V<sub>max</sub> XGT Brushless Vacuum Sweeper

- Self priming function
- Adjustable pressure function with 3 modes
- Max flow rate of 420L/h
- Compact trolley design for portability
- Convenient onboard accessory storage

MAX PRESSURE	1,233psi 11.5MPa
PRESSURE	High 8.5MPa Med 5.5MPa
FLOW RATE	High 5.5L/min Med 4.2L/min Low 3.3L/min
HOSE LENGTH	5 Metres
MAX POWER OUTPUT	1200W
CONTINUOUS RUN-TIME	18mins 2xBL4050F
SKIN TOOL WEIGHT	8.5kg

Kit includes:  
1x 5.0Ah battery (BL4050F) & dual rapid charger (DC40RB)

COMING SOON



**XGT** 40V<sub>max</sub>

**PS001GM101** **PS001GZ**  
40V<sub>max</sub> XGT Brushless 2 in 1 Scrubber / Polisher

- Telescoping shaft allows for extended reach (1,126-1,480 mm) for optimum cleaning versatility
- Adjustable loop handle for convenient operation
- Makita-built Brushless motor delivers 150 / 300 / 600RPM for faster cleaning
- IPX4 Water Resistance Rating and XPT (eXtreme Protection Technology) protects dust and particles
- Lock-on (Switch type) button and helps to reduce user fatigue
- Up to 32mins of continuous runtime (using 2.5Ah BL4025 battery, not included)

Kit includes:  
1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)



300 mm

**XGT 40Vmax**  
**UB001GM101**  UB001GZ  
 40Vmax XGT Brushless Blower

- Cruise control function with boost mode
- Powerful air speed up to 230km/h / 565 CFM
- Up to 16m<sup>3</sup>/min of max air volume in boost mode
- Lightweight design
- IPX4 Rated for increased resistance to water

<b>NO LOAD SPEED (RPM)</b>	20,000-23,000
<b>MAX AIR SPEED</b>	53-(Turbo: 64m/s)
<b>BLOWING FORCE</b>	12-(Turbo:17N)
<b>MAX.AIR VELOCITY</b>	190 (Turbo: 230km/h)
<b>MAX.AIR VOLUME (m<sup>3</sup>)</b>	16m <sup>3</sup> /min / 565CFM
<b>NOISE dB(A)</b>	94.1db(A)
<b>OVERALL LENGTH</b>	950mm
<b>SKIN TOOL WEIGHT</b>	2.6kg

Kit includes:  
 1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)



**XGT 40Vmax**  
**UA004GM101**  UA004GZ  
 40Vmax XGT Brushless (12") 300mm Telescopic Pole Saw

- Telescopic design provides high reach over 3.8M
- High power output comparable to 35cc petrol pole saw
- Chain speed of 20m/s for fast smooth cutting
- Integrated branch hook to easily remove cut branches

<b>POWER OUTPUT</b>	1,500W
<b>BAR &amp; CHAIN LENGTH</b>	(12") 300mm
<b>OIL TANK CAPACITY</b>	160ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	105dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	2,516mm
<b>SKIN TOOL WEIGHT</b>	7.2kg

Kit includes:  
 1 x 4.0Ah battery (BL4040), rapid charger (DC40RA)



**XGT 40Vmax**  
**PM001GL202**  PM001GZ01  
 40Vmax XGT Brushless Backpack Mistblower

- 15L tank ideal for misting and dusting of herbicides, pesticides, and liquid and granular fertilisers
- With a range of up to 14 meters, it is suitable for large surfaces
- Compatible with ULV (Ultra Low Volume) spray for pesticides with 50µm or less

<b>NO LOAD SPEED</b>	25,000RPM
<b>SOLUTION TANK</b>	15L
<b>BLOWING FORCE</b>	15N
<b>MAX. AIR VELOCITY</b>	64m/s
<b>MAX. AIR VOLUME</b>	14.3m <sup>3</sup> /min
<b>SPRAY RANGE</b>	14M
<b>SPRAY VOLUME</b>	180-1,400 mL/min
<b>OVERALL LENGTH</b>	690mm
<b>SKIN TOOL WEIGHT</b>	11.9kg

Kit includes:  
 2x 8.0Ah batteries (BL4080F) & Dual Rapid charger (DC40RB)



600 mm

**XGT 40Vmax**  
**UN001GZ**  
 40Vmax Brushless 600mm Pole Hedge Trimmer

- 600mm sharp-edged shear blade provides optimal trimming for thick and hard branches
- 6 angle settings for efficient trimming of overhead and low-lying hedges; 115° working range
- 20mm maximum cutting branch diameter

<b>POWER OUTPUT</b>	860W
<b>BLADE LENGTH</b>	600mm
<b>CUTTING WIDTH</b>	602mm
<b>STROKES PER MINUTE</b>	2,000, 3,000, 4,000spm
<b>MAX BRANCH DIAMETER</b>	25 mm
<b>MAX CUTTING DIAMETER</b>	20mm
<b>TOOTH SPACING</b>	38 mm
<b>OVERALL LENGTH</b>	2,268
<b>SKIN TOOL WEIGHT</b>	4.01kg



**XGT 40Vmax**  
**DG002GT101**  DG002GZ01  
 40Vmax XGT Brushless Earth Auger

- 2 speeds for effective drilling into a variety of materials
- Reverse switch allows for easy removal from material
- Max. drilling capacity of 200mm
- Earth auger handle allows for maximum control while drilling
- Torque limiter for added safety

<b>POWER OUTPUT</b>	1,350W
<b>CAPACITY</b>	150mm-200mm
<b>CHUCK CAPACITY</b>	2 - 13 mm
<b>NO LOAD SPEED (RPM)</b>	400-1,500
<b>MAX TORQUE</b>	55 high 136 low
<b>SOUND POWER LEVEL</b>	95 dB(A)
<b>VIBRATION LEVEL</b>	2.5 m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	842mm
<b>SKIN TOOL WEIGHT</b>	6.1kg

Kit includes:  
 1 x 5.0Ah battery (BL4050F), rapid charger (DC40RA)



**XGT 40Vmax**  
**DG001GZ06**  
 40Vmax XGT Brushless Earth Auger

- 2 speeds for effective drilling into a variety of materials
- Reverse switch allows for easy removal from material
- Max. drilling capacity of 200mm
- Earth auger handle allows for maximum control while drilling
- Torque limiter for added safety

<b>POWER OUTPUT</b>	1,350W
<b>CAPACITY</b>	150mm-200mm
<b>CHUCK CAPACITY</b>	2 - 13 mm
<b>NO LOAD SPEED (RPM)</b>	400-1,500
<b>MAX TORQUE</b>	55 high 136 low
<b>SOUND POWER LEVEL</b>	95 dB(A)
<b>VIBRATION LEVEL</b>	2.5 m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	788mm
<b>SKIN TOOL WEIGHT</b>	6.8kg

**EARTH AUGER DRILL BITS**



**E-07294**  
 100mm Earth Auger Drill Bit



**E-07303**  
 150mm Earth Auger Drill Bit



**E-07319**  
 200mm Earth Auger Drill Bit



**E-07325**  
 540mm Earth Auger Extension

**REPLACEMENT BLADES**



ø100 mm

ø150 mm

ø200 mm

**E-07630** Replacement Blade 100mm for E-07294

**E-07646** Replacement Blade 150mm for E-07303

**E-07652** Replacement Blade 200mm for E-07319

**191P11-3**  
 Handle Set

includes a bar which receives reaction force and an auxiliary handle, and helps the user drill holes in the ground easier.



**E-07331**  
 Pin for Earth Auger



**327684-2**  
 Adapter Type A

Find out at [www.makita.co.nz/accessories/ope-augers/](http://www.makita.co.nz/accessories/ope-augers/)

# HIGHER OUTPUT POWER

## UP TO 2X LONGER RUN TIME



UP TO **35%**  
**MORE POWER**  
VS. BL4040

**COMPACT SIZE**
**LONGER RUN TIME**
**28 MIN.**  
CHARGE TIME

**BL4025**

40V max XGT® 2.5Ah Battery

**45 MIN.**  
CHARGE TIME

**BL4040**

40V max XGT® 4.0Ah Battery

**50 MIN.**  
CHARGE TIME

**BL4040F**

40V max XGT® 4.0Ah Battery

**50 MIN.**  
CHARGE TIME

**BL4050F**

40V max XGT® 5.0Ah Battery

**76 MIN.**  
CHARGE TIME

**BL4080F**

40V max XGT® 8.0Ah Battery


**191J68-8**
**40Vmax XGT® 4.0Ah Battery/ Charger Combo**

Includes:  
1x 40Vmax XGT 4.0Ah Battery (BL4040)  
40Vmax XGT Rapid Charger (DC40RA)


**1913Y6-3**
**40Vmax XGT® 2.5Ah Battery/ Charger Combo**

Includes:  
2x 40Vmax XGT 2.5Ah Battery (BL4025)  
40Vmax XGT Rapid Charger (DC40RA)

**HIGH-OUTPUT  
TABLESS BATTERIES**

**1915A7-5**
**40Vmax XGT® 4.0Ah High Output Tabless Battery/ Charger Combo**

Includes:  
2 x 40Vmax XGT 4.0Ah Battery (BL4040F)  
40Vmax XGT Rapid Dual Port Charger (DC40RB)


**1913Y8-9**
**40Vmax XGT® 8.0Ah Battery/ Charger Combo**

Includes:  
2x 40Vmax XGT 8.0Ah Battery (BL4080F)  
40Vmax XGT Rapid Dual Port Charger (DC40RB)


**1913Y7-1**
**40Vmax XGT® 5.0Ah Battery/ Charger Combo**

Includes:  
2x 40Vmax XGT 5.0Ah Battery (BL4050F)  
40Vmax XGT Rapid Dual Port Charger (DC40RB)


**DC40RB**
**40V max XGT® Dual Rapid Charger**

- Rapid simultaneous charging of 2x 40V max XGT batteries
- Rapid charging system communicates data between battery and charger for optimum charging


**DC40RA**
**40V max XGT® Rapid Charger**

- Rapid charging system communicates data between battery and charger for optimum charging
- Equipped with dual cooling fans, cooling the battery & charging circuit for rapid charging


**DC40WA**
**40V max XGT® Dual Charger**

- Two port multi charger that is able to charge two Makita XGT Li-Ion batteries simultaneously
- Low temperature charging start temperature: 0°C

# XGT 40V | 80V<sub>max</sub>

## HIGH-OUTPUT TABLESS CELL TECHNOLOGY

UP TO **35%**  
MORE POWER

UP TO **45%**  
COOLER RUNNING

**OPTIMUM  
TOOL PERFORMANCE**

VS BL4040

### WORLD LEADING CUTTING-EDGE TABLESS CELL TECHNOLOGY

Experience the difference in every task as these high-output batteries drive your tools to new heights, effortlessly handling heavy load applications. Designed for high demand applications these batteries supply a higher output power enabling XGT tools to continuously perform heavy duty applications.

Innovative Tabless Technology For Maximum Efficiency Exclusively available on the BL4040F these next-generation cells are designed with cutting-edge technology. Tabless lithium-ion cells remove the bottleneck allowing for a much more efficient method of power delivery.

Tabless cells avoid current concentration by connecting the entire end of the electrode to the end of the cell instead of the tabs. This improves battery efficiency, thermal management and overall battery performance. Elevate your workday with the high-output 40V Max 4.0Ah battery – where power, durability, and innovation meet to redefine excellence in tool performance.



**BRUSHLESS MOTOR FOR POWER AND PERFORMANCE**




**ADVANCED ELECTRONICS**



**DUAL COOLING FANS FOR CONSISTENT FAST CHARGE**

### TABLESS CELL TECHNOLOGY



### 4.0AH 40V MAX XGT BL4040F HIGH-OUTPUT

UP TO **35%**  
MORE POWER

UP TO **45%**  
COOLER RUNNING



# A HISTORY OF INNOVATION

1915

**105+**  
YEARS



**MOTOR  
ENGINEERING**

**95**  
YEARS



**OPE SPECIALIST  
EQUIPMENT DEVELOPMENT**

**45**  
YEARS



**BATTERY & CHARGING  
INNOVATION**

TODAY



**2800W PEAK  
1400W CONTINUOUS  
OUTPUT**

**40V MAX CONNECTX™  
PORTABLE POWER STATION**

Transportable power with 2800W peak /  
1400W continuous output

Turns DC power into AC power - suitable for  
awide range of applications

# CONVERT TO BATTERY

HUGE COST SAVINGS WHEN YOU CONVERT



## HIGHER POWER

ENHANCED POWER-  
TO-WEIGHT RATIO



**4.0** Ah BATTERY



**4.0** Ah BATTERY



**5.0** Ah BATTERY



**8.0** Ah BATTERY



**191N62-40V max XGT Ad**

**COMPACT SIZE**

**LONGER RUN TIME**

[makita.co.nz/technology/XGT.lsd](http://makita.co.nz/technology/XGT.lsd)

# BATTERY POWER

ERT TO BATTERY-POWERED EQUIPMENT



## ADVANTAGE

**MORE PRO SOLUTIONS**



**131+ TOTAL TOOLS**

COMPETITOR  
**ONLY 32+ TOOLS**

\* BASED ON OVERSEAS COMPARISON

## LEADING ERGONOMICS

W/ LIGHTER WEIGHT BATTERY-POWERED EQUIPMENT

COMPETITOR WEIGHT (BARE TOOL)

MAKITA WEIGHT (BARE TOOL)



## MORE VERSATILE VS. THE COMPETITION



**TOOLS & OPE**  
**1 BATTERY PLATFORM POWERS THEM ALL**

## CONNECTX™ HIGHEST DEMAND POWER EQUIPMENT



**ALL-DAY RUN TIME**



**HIGHER CAPACITY**  
Delivers 1,200 Watt Hours of Output



**LONGER RUN TIME**  
Ideal for all day work\*



**ULTIMATE COMPATIBILITY**  
Powers ConnectX™, 40V max XGT® and 36V LXT® systems



**DURABLE DESIGN**  
IPX4-rated weather-resistant construction



**40V MAX CONNECTX™  
BRUSHLESS BLOWER**

Impressive 17.6m<sup>3</sup>/min max air volume and 252km/h max air velocity

# CONNECTX™

## MORE OUTPUT

TRADE DRIVEN • TRUSTED INVESTMENT™



## HIGHER CAPACITY. NO PETROL.

PROVIDES THE RUN TIME NEEDED FOR ALL DAY WORK

ConnectX™ is a run-time and power solution for use with ConnectX™ products, as well as XGT® and LXT® tools and equipment when used with an adaptor. It accelerates the transition to battery power with a Backpack Power Supply (PDC1500, PDC1200), which packs a high-capacity battery for all-day work and performance without the hassles of petrol or cords.




**CONNECTX™**  
DIRECT CONNECTION



**XGT**  
40V max ADAPTER



**LXT**  
36V (18V X2) ADAPTER



EXPERIENCE MORE™



## CONNECTX™

### ▣ PDC1500A01 36V ConnectX Portable Backpack battery 1500Wh

- Powers 36V Direct Connection tools
- Compatible across 3 platforms - 18Vx2, 40V Max & Direct Connection
- Features 1,567Wh of battery capacity for long runtimes
- AC charger has charging time of 450mins
- Harness can be adjusted and easily detached from unit

<b>CONTINUOUS RATING INPUT</b>	1567.8W
<b>VOLTAGE</b>	36-40V
<b>BATTERY PLATFORM</b>	ConnectX
<b>BATTERY VOLTAGE</b>	36V
<b>BATTERY CAPACITY</b>	43.55
<b>CHARGE TIME</b>	450mins w/ DC4001
<b>OVERALL LENGTH</b>	369mm
<b>SKIN TOOL WEIGHT</b>	12.9kg



## CONNECTX™

### ▣ PDC1200A01 36V ConnectX Portable Backpack battery 33.5Ah 1200Wh

- Comes standard with an 18Vx2 Adaptor & AC Charger
- Compatible across 3 platforms: LXT 18Vx2, XGT 40V Max & Direct Connection
- Features 1,206Wh of battery capacity providing runtimes equivalent to 11x 18V 6.0Ah batteries\*
- AC charger has charging times of 360mins

<b>ENERGY CAPACITY</b>	1,206W
<b>VOLTAGE</b>	36-40V
<b>NUMBER OF CELLS</b>	100
<b>CHARGING TIME</b>	360mins w/ DC24001
<b>BATTERY FUEL GAUGE</b>	Yes, 4 stages
<b>WATER RESISTANCE</b>	IPX4 equivalent
<b>OVERALL LENGTH</b>	369mm
<b>SKIN TOOL WEIGHT</b>	10.4kg

Backpack comes standard:  
18Vx2 Adaptor (191J51-5), Charger (DC4001)



## CONNECTX™

### ▣ BAC01 ConnectX 2800W/1400W Portable Power Station

- Power converter Turns DC power into AC power, is optimal for a wide range of applications
- Multiple outputs including: 2 AC outlets, 2 Type-A USB output ports, 2 Type-C USB output ports, 1 (one) DC12V cigar socket
- 7-stage output indication by 7 LED lamps
- Can be connected firmly with accessories of MAKPAC system

<b>ENERGY CAPACITY</b>	2,800W
<b>AC OUTPUT VOLTAGE</b>	230V
<b>AC OUTPUT</b>	With Pure Sine wave
<b>FREQUENCY</b>	50/60 Hz switchable
<b>AC OUTLETS</b>	2
<b>USB OUTPUT</b>	2 Type A, 2 Type C
<b>OVERALL LENGTH</b>	395mm
<b>SKIN TOOL WEIGHT</b>	7.3kg



## CONNECTX™

### UR201CX3 ▣ UR201CZ 36V ConnectX Brushless Line Trimmer - Loop Handle

- 3 stage speed control with reverse switch
- 430mm max. cutting width
- 1kW brushless motor produces power equivalent to 30cc petrol models
- Automatic Torque Drive technology increases torque under load

<b>POWER OUTPUT</b>	1,000W
<b>NO LOAD SPEED (RPM)</b>	4,600 / 4,000
<b>NYLON HEAD</b>	430mm
<b>METAL BLADE</b>	255mm
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	255mm / 305mm
<b>SPINDLE THREAD</b>	M10 x 1.25 LH
<b>OVERALL LENGTH</b>	1,795mm
<b>SKIN TOOL WEIGHT</b>	4.7kg

Kit includes:  
Portable Backpack battery (PDC1200A01)



## CONNECTX™

### ▣ UB004C 36V ConnectX Brushless Backpack Blower

- Powered blower powered by Portable Power Pack PDC1500 or PDC1200
- Ergonomic backpack harness for comfortable use
- 80.7m/s max air velocity\*
- Up to 20.9m³/min max air volume\*
- Cruise control lever for long periods of use
- Runtime 55min max speed with PDC1500

<b>MAX AIR VOLUME</b>	738 CFM*
<b>MAX HIGH</b>	20.9m³/min*
<b>MED</b>	19.7m³/min*
<b>LOW</b>	15.2m³/min*
	8.5m³/min*
<b>MAX BLOWING FORCE</b>	28N
<b>NO LOAD SPEED</b>	0-23,800rpm
<b>OVERALL LENGTH</b>	585mm
<b>SKIN TOOL WEIGHT</b>	16.5kg

\*With Standard nozzle / PDC1500



## CONNECTX™

### ▣ UB002CZ01 36V ConnectX Brushless Backpack Blower

- Powered by 36V Portable Backpack battery offers the benefits of 50cc power
- Ergonomic backpack harness for comfortable use
- 257km/h max air velocity\*
- Up to 19.0m³/min max air volume\*
- Cruise control lever for long periods of use
- Runtime 45min max speed with PDC1200

<b>MAX AIR VOLUME</b>	634 CFM*
<b>MAX HIGH</b>	19.0m³/min
	- Using End nozzle
	17.9m³/min
	- Using Flat nozzle
<b>MAX BLOWING FORCE</b>	22N
<b>NO LOAD SPEED</b>	0-22,000rpm
<b>OVERALL LENGTH</b>	1,368mm
<b>SKIN TOOL WEIGHT</b>	5.6kg

\*With Standard nozzle / PDC1200



## CONNECTX™

### ▣ UB003CZ 36V ConnectX Brushless Blower

- Powered by Makita's Portable Power Supply units
- Impressive 17.6m³/min max air volume
- 252km/h max air velocity
- Lightweight skin weight of 2.8kg
- Variable control trigger plus Cruise control lever
- Runtime 60min max speed with PDC1500

<b>MAX AIR VOLUME</b>	622 CFM
<b>MAX HIGH</b>	17.6m³/min
<b>MED</b>	13.9m³/min
<b>LOW</b>	8.2m³/min
	2.9m³/min
<b>MAX BLOWING FORCE</b>	24N
<b>NO LOAD SPEED</b>	4,000-22,000rpm
<b>OVERALL LENGTH</b>	1,013mm
<b>SKIN TOOL WEIGHT</b>	2.8kg

\*With Standard nozzle / PDC1500



## CONNECTX™

### LM001CX2 ▣ LM001CZ 36V ConnectX Brushless 534mm (21") Self-Propelled Lawn Mower

- Powered by Portable Power Supply units
- Maximum mowing area of 5,400m² runtime when paired with PDC1200
- High power brushless motor provides 2,800rpm
- Self-propelled drive with variable speed
- Heavy duty steel deck with 4 swing back blades

<b>POWER OUTPUT</b>	1,600W
<b>CUTTING WIDTH</b>	530mm (21")
<b>CUTTING HEIGHT</b>	20-100mm
<b>CUTTING WIDTH</b>	530mm (21")
<b>OVERALL DIMENSIONS</b>	1,715mm
<b>NO LOAD SPEED (RPM)</b>	2,300-2,800
<b>SKIN TOOL WEIGHT</b>	40.7kg

Kit includes:  
(PDC1200A01- Portable Power Supply Kit)



**LXT**  
**DLM330SM** [Z] **DLM330Z**  
**18V LXT Cordless Residential 330mm (13") Lawn Mower**

- Ideal for small to medium sized lawn
- 8 stage height adjustment from 20mm to 75mm
- No load speed of 4,300rpm
- 30L catcher with grass level indicator
- 2 functions: Collecting & Mulching

<b>POWER OUTPUT</b>	450W
<b>CUTTING WIDTH</b>	330mm (13")
<b>CUTTING HEIGHT</b>	20-75mm
<b>NO LOAD SPEED (RPM)</b>	4,300
<b>SKIN TOOL WEIGHT</b>	11.6kg

Kit includes:  
1 x LXT 4.0Ah battery (BL1840B) & charger (DC18SD)



**LXT**  
**DLM432CT2** [Z] **DLM432Z**  
**18Vx2 (36V) LXT Cordless Residential 430mm (17") Lawn Mower**

- Ideal for small to medium sized lawn
- 13 stage height adjustment
- No load speed of 3,600rpm
- 50L catcher with grass level indicator
- 2 functions: Collecting & Mulching

<b>POWER OUTPUT</b>	950W
<b>CUTTING WIDTH</b>	430mm (17")
<b>CUTTING HEIGHT</b>	20-75mm
<b>NO LOAD SPEED (RPM)</b>	3,600
<b>SKIN TOOL WEIGHT</b>	16.8kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & Dual charger (DC18SH)



**LXT X2 18V 18V 36V**  
**DLM480CT2** [Z] **DLM480Z**  
**18Vx2 (36V) LXT 480mm (18") Lawn mower**

- 480mm (18") Durable plastic deck
- Bar blade
- No load speed of 3,200rpm
- 62L Cloth grass clipping catcher with indicator
- 8 Stage height adjustment (20-75mm)

<b>POWER OUTPUT</b>	860W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-75mm
<b>NO LOAD SPEED (RPM)</b>	3,100
<b>SKIN TOOL WEIGHT</b>	24.0kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & Dual charger (DC18SH)



**LXT LXT 18V 36V BRUSHLESS**  
**DLM464PT2** [Z] **DLM464Z**  
**18Vx2 (36V) LXT Brushless 460mm (18") Metal Deck Lawn Mower**

- 460mm - 18" heavy duty metal deck
- Bar blade
- Provides instant full speed of 3,300rpm
- Quiet mode reduces noise through constant speed control
- 60L catcher

<b>POWER OUTPUT</b>	1,450W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,500-3,300
<b>SKIN TOOL WEIGHT</b>	26.2kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)



**64Vmax**  
**LM001JM101** [Z] **LM001JZ**  
**64Vmax Brushless 480mm (18") Lawn Mower**

- High power cordless lawn mower powered by 64Vmax
- High power brushless motor provides 3,200rpm
- Quiet mode keeps motor at 2,500rpm for lower noise output
- Lightweight design with a plastic cutting deck for increased maneuverability

<b>POWER OUTPUT</b>	2,300W
<b>CUTTING WIDTH</b>	480mm (18")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,500 -3,300
<b>SKIN TOOL WEIGHT</b>	24.0kg

Kit includes:  
1 x 4.0Ah battery (BL6440) & charger (DC64WA)



**64Vmax**  
**LM004JB101**  
**64Vmax Brushless 530mm (21") Self-Propelled Lawn Mower**

- Makita's most powerful battery lawnmower ever, similar to that of a 3kW class engine lawn mower
- Maximum mowing area of 3,800 runtime on fully charged BL64100
- High power brushless motor provides 2,800rpm
- Quiet mode keeps motor at 2,300rpm for lower noise output
- Self-propelled speed is 6.5km/h, the same as that of engine lawn mower

<b>POWER OUTPUT</b>	3,200W
<b>CUTTING WIDTH</b>	530mm (21")
<b>CUTTING HEIGHT</b>	20-100mm
<b>NO LOAD SPEED (RPM)</b>	2,300-2,800
<b>SKIN TOOL WEIGHT</b>	31.4kg

Kit includes:  
1x 10.0Ah battery (BL64100) & charger (DC64WA)

**Replacement Lawn mower blade**

MODEL	SIZE (MM)	PART#
DLM330	330mm	GB00000042
LM003G	380mm	1913G8-3
DLM432	430mm	191D43-8
LM004G	430mm	1913H4-8
DLM480, LM001G, LM001J	480mm	191V97-3
DLM464	460mm	199367-2
DLM465	460mm	191D51-9
DLM535, DLM536, DLM537, LM001C	530mm	191D52-7
LM002G, LM004J	530mm	191V96-5

**Replacement lawn mower swing back blade**



MODEL	SIZE	PART#	PART#
DLM465	460mm	191D49-6	4 pcs 191D47-0
DLM535, DLM536, DLM537, LM001C, LM002G, LM004J	530	191D50-1	4 pcs 191D48-8

18"

SELF-PROPELLED  
METAL DECK



**LXT BRUSHLESS**  
**DLM465PT2** DLM465Z

18Vx2 (36V) LXT Brushless 460mm (18") Deck Self-Propelled Lawn Mower

- Self-propelled motor with variable speed
- 18" 460mm heavy duty metal deck
- High power brushless motor provides 3,300rpm
- Quiet mode keeps motor at 2,500rpm for lower noise output
- 60L cloth catcher with grass level indicator

POWER OUTPUT	1,600W
CUTTING WIDTH	480mm (18")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	3,300
SKIN TOOL WEIGHT	34.7kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)

21"

SELF-PROPELLED  
ALUMINIUM DECK



**LXT BRUSHLESS**  
**DLM537PT2** DLM537Z

18Vx2 (36V) LXT Brushless 530mm (21") Aluminium Self-Propelled Deck Lawn Mower

- Quick to engage self-propelled motor with variable speed
- 21" aluminium deck with 4 swing back blades
- High power brushless motor provides 2,800rpm
- Holds 4x 18V batteries with quick battery selection switch
- Quiet mode keeps motor at 2,300rpm for lower noise output

POWER OUTPUT	1,600W
CUTTING WIDTH	530mm (21")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	2,300-2,800
SKIN TOOL WEIGHT	43.9kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)

21"

METAL DECK



**LXT BRUSHLESS**  
**DLM535PT2** DLM535Z

18Vx2 (36V) LXT Brushless 530mm (21") Metal Deck Lawn Mower

- Holds 4x 18V batteries with quick battery selection for extended run time
- High power brushless motor provides 2,800rpm
- 21" heavy duty steel deck
- 70L cloth catcher with grass level indicator
- Quiet mode keeps motor at 2,300rpm for lower noise output

POWER OUTPUT	1,600W
CUTTING WIDTH	530mm (21")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	2,300-2,800
SKIN TOOL WEIGHT	34.1kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)

21"

SELF-PROPELLED  
METAL DECK



**LXT BRUSHLESS**  
**DLM536PT2** DLM536Z


18Vx2 (36V) LXT Brushless 530mm (21") Metal Self-Propelled Deck Lawn Mower

- Self-propelled motor with variable speed control
- 21" heavy duty steel deck with 4 swing back blades
- High power brushless motor provides 2,800rpm
- Holds 4x 18V batteries with quick battery selection switch
- 70L cloth catcher with grass level indicator

POWER OUTPUT	1,600W
CUTTING WIDTH	530mm (21")
CUTTING HEIGHT	20-100mm
NO LOAD SPEED (RPM)	2,300-2,800
SKIN TOOL WEIGHT	40.8kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & Dual rapid charger (DC18RD)

## LAWN MOWER COMPARISON CHART





## RM350D Robotic Lawnmower™

The Makita Robotic Lawnmower optimises ease of use by automatically mowing and charging. Imagine coming home to a perfectly mowed lawn without having to lift a finger. This device ensures that you have to put less effort into maintaining your lawn, so you can fully enjoy your free time.

The Makita robotic lawnmower, equipped with high-quality brushless motors, ensures that your lawn is maintained without sacrificing efficiency. With a maximum working area of 3,500 m<sup>2</sup>, the Makita robotic lawnmower excels in extensive coverage, thanks to its fast charging capabilities and long continuous operating time.

The robotic lawnmower runs on a built-in 18 V / 5.0 Ah Li-ion battery and is charged in the charging station.

### HOW IT WORKS



#### 5. AC ADAPTOR

Place the AC adaptor keeping 30 cm or more height from the ground. It is recommended to fix the AC adaptor on the wall using screws



#### 2. CHARGING STATION

This charges the Robotic Mower and flows signals in the boundary wire and guide wire




#### 4. GUIDE WIRE

This wire leads the Robotic Mower to the charging station. This wire also guides the lawn mower to areas that the lawn mower works less frequently



#### 1. ROBOTIC MOWER

This is the main unit that mows the lawn. It is charged by the charging station and automatically mows the lawn within the work area



#### 3. BOUNDARY WIRE

This wire is installed around the outermost side of the work area. It lets the Robotic Mower recognise the work area in which to mow the lawn



**WATCH NOW**  
Learn more about Robotic Mower



RM350D				
Battery Voltage: V	18 (5.0Ah)	Spiral cut	Yes	
Battery type	Integrated	Max climbing angle: degrees	26	
Automatic charging	Yes	Dust and water resistance	Yes (XPT / IPX4-compatible)	
Max work area*1m2	3,500	Washable with water	Yes	
Continuous run time on a full battery charge: min	135* 2	LED light (Position Notification)	Yes (Position light / Top unit)	
Charging time	40*3	Communication function	No	
Method for increasing work area	Fast charging 4*		PIN code	Yes
Cutting width: mm (")	240 (9-1/2)	Theft-deterrent	Alarm	Yes
No load speed: rpm	2,300		GPS tracking	No
Running pattern	Random	Noise level*7dB(A)	62	
Running speed: km/h	1.7	Dimensions mm ("):	Length	700 (27-1/2)
Guide wire	Yes (2 pcs)		Width	560 (22)
Blade	Three swing back blades		Height	270 (10-5/8)
Cutting height adjustment	Adjustment range: mm (")	20 - 60 (13/16 - 2-3/8)	Weight according to	
	Stage	9	13.7 (30.2)	
	Adjustment method	Panel on the machine	*2 The continuous run time is a rough indication of run time, and depends on the operation time setting, work area, cutting height, and lawn density/condition.	
	Automatic adjustment	Yes 6*	*3 Average charging time in continuous automatic operation *4 Operating rate has been improved by reducing the charging time per cycle. *6 By setting the starting height and target height on the panel of the machine	



## Introducing the new Makita 18V Brushless Robotic Mower™

Up to 3,500m<sup>2</sup> Maximum Recommended mowing area

In-built scheduling feature to suit users' mowing time requirements

Map operation via boundary wire



### ANTI-THEFT PROTECTION

Increase security with our anti-theft feature. Set a PIN code and activate the alarm function to deter potential theft.



### OBSTACLE DETECTION

When the mower detects a 360° collision, it drives away from the obstacle.



### LIFT & TILT SENSORS SAFETY

Lifting and tilting the unit stops both the driving and the rotation of the blade.



### WASHABLE WITH WATER

The top cover can be easily removed, allowing you to wash the entire machine.



**LXT**  
**DUR193F001** **DUR193Z**  
**18V LXT Cordless Line Trimmer**

- Max. cutting width of 260mm
- 5-position Adjustable cutting head
- No Load Speed of 7,800rpm
- Telescopic shaft 1,248mm to 1,436mm with loop-handle
- Easy-loading bump and feed trimmer head
- 1.65mm four-leaf nylon line

<b>POWER OUTPUT</b>	280W
<b>NO LOAD SPEED (RPM)</b>	7,800
<b>NYLON HEAD</b>	260mm
<b>METAL BLADE</b>	-
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	-
<b>SPINDLE THREAD</b>	M8 x 1.25 RH
<b>OVERALL LENGTH</b>	1,436mm
<b>SKIN TOOL WEIGHT</b>	1.7kg

Kit includes:  
 1 x LXT 3.0Ah battery (BL1830B) & charger (DC18WC)



**LXT BRUSHLESS**  
**DUR189ST** **DUR189Z**  
**18V LXT Cordless Line Trimmer**

- Adjustable telescopic shaft with ergonomic curve
- Automatic Torque Drive Technology (ADT)
- No Load Speed of 6,000rpm
- 4 Variable Speeds (Low, Medium, High, ATD Mode)
- 2mm diameter dual nylon line

<b>POWER OUTPUT</b>	240W
<b>NO LOAD SPEED (RPM)</b>	6,000 / 5,300 / 3,500
<b>NYLON HEAD</b>	300mm
<b>METAL BLADE</b>	-
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	255mm
<b>SPINDLE THREAD</b>	M8 x 1.25 RH
<b>OVERALL LENGTH</b>	1,436mm
<b>SKIN TOOL WEIGHT</b>	2.8kg

Kit includes:  
 1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)



**LXT BRUSHLESS**  
**DUR368APT2** **DUR368AZ**  
**18Vx2 (36V) LXT Brushless Line Trimmer- Bike Handle**

- Powerful brushless motor with 3 stage speed control
- Automatic Torque Drive technology increases torque when under load
- Bike handle design for comfortable use and increased maneuverability

<b>POWER OUTPUT</b>	550W
<b>NO LOAD SPEED (RPM)</b>	6,500 / 5,300 / 3,500
<b>NYLON HEAD</b>	350mm
<b>METAL BLADE</b>	230mm
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	255mm
<b>SPINDLE THREAD</b>	M10 x 1.25 LH
<b>OVERALL LENGTH</b>	1,758mm
<b>SKIN TOOL WEIGHT</b>	3.6kg

Kit includes:  
 2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT BRUSHLESS**  
**DUR368LPT2** **DUR368LZ**  
**18Vx2 (36V) LXT Brushless Line Trimmer- Loop Handle**

- Powerful brushless motor with 3 stage speed control
- Automatic Torque Drive technology increases torque when under load
- Convenient reverse switch to quickly remove tangled grass

<b>POWER OUTPUT</b>	550W
<b>NO LOAD SPEED (RPM)</b>	6,500 / 5,300 / 3,500
<b>NYLON HEAD</b>	350mm
<b>METAL BLADE</b>	230mm
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	255mm
<b>SPINDLE THREAD</b>	M10 x 1.25 LH
<b>OVERALL LENGTH</b>	1,758mm
<b>SKIN TOOL WEIGHT</b>	3.3kg

Kit includes:  
 2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT BRUSHLESS**  
**DUR369APT2** **DUR369AZ**  
**18Vx2 (36V) LXT Brushless Line Trimmer- Bike Handle**

- Powerful brushless motor produces 1kW maximum output ( Same as 30cc petrol power engine)
- ADT - increases torque when under load
- Bike handle design for comfortable use and increased maneuverability

<b>POWER OUTPUT</b>	1,000W
<b>NO LOAD SPEED (RPM)</b>	6,500 / 5,300 / 3,500
<b>NYLON HEAD</b>	430mm
<b>METAL BLADE</b>	255mm
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	255mm / 305mm
<b>SPINDLE THREAD</b>	M10 x 1.25 LH
<b>OVERALL LENGTH</b>	1,846mm
<b>SKIN TOOL WEIGHT</b>	5.3kg

Kit includes:  
 2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT BRUSHLESS**  
**DUR369LPT2** **DUR369LZ**  
**18Vx2 (36V) LXT Brushless Line Trimmer- Bike Handle**

- Powerful brushless motor with 3 stage speed control
- Automatic Torque Drive technology increases torque when under load
- Bike handle design for comfortable use and increased maneuverability

<b>POWER OUTPUT</b>	1,000W
<b>NO LOAD SPEED (RPM)</b>	6,500 / 5,300 / 3,500
<b>NYLON HEAD</b>	430mm
<b>METAL BLADE</b>	255mm
<b>CHISEL BLADE</b>	-
<b>SHREDDER BLADE</b>	-
<b>PLASTIC BLADE</b>	255mm / 305mm
<b>SPINDLE THREAD</b>	M10 x 1.25 LH
<b>OVERALL LENGTH</b>	1,846mm
<b>SKIN TOOL WEIGHT</b>	5.1kg

Kit includes:  
 2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

**THE LXT ADVANTAGE**



- BL1860B** 18V LXT® 6.0Ah Battery
- BL1850B** 18V LXT® 5.0Ah Battery
- BL1840B** 18V LXT® 4.0Ah Battery
- BL1830B** 18V LXT® 3.0Ah Battery
- BL1815N** 18V LXT 1.5Ah Battery

**18V LXT BATTERIES AND CHARGERS**



**18V LXT 3.0Ah Battery / Charger Kit 1912L0-8**  
 BL1830B 18V 3.0Ah Li-Ion Battery  
 DC18WC 14.4V/18V Standard Charger



**18V LXT Battery and Charger Starter Pack (5.0Ah) 1915A5-9**  
 BL1850B 18V 5.0Ah Li-Ion Battery  
 DC18RC 18V Rapid Charger



**18V LXT 5.0Ah Battery / Charger Kit 197564-4**  
 BL1850B 18V 5.0Ah Li-Ion Battery  
 DC18RD 18V Dual Rapid Charger



**18V LXT 5.0Ah Battery / Charger Kit 198928-5**  
 BL1850B 2 x 18V 5.0Ah Li-Ion Battery  
 DC18RD 18V Dual Rapid Charger


## Direct Drive Brushless Motor

Makita line trimmers with direct drive have a powerful brushless motor positioned on the trimmer head – not at the other end of the shaft. This means up to 30cc\* of petrol-equivalent power is transferred directly from the motor to the trimmer, so you can quickly take out weeds and grass without the noise and emissions of a petrol trimmer.

\*Compared to Makita 2-Stroke Petrol Model



### LINE TRIMMER / BRUSHCUTTER CHART





**DUX18STX11**

**18V LXT Brushless Split shaft Power Head w/ 300mm Pole Saw attachment 5.0Ah kit**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>MAX CUTTING WIDTH</b>	296mm
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,890mm
<b>KIT WEIGHT</b>	4.5g

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)  
EY403MP pole saw attachment



**DUX18STX2**

**18V LXT Brushless Split shaft Power Head w/ 330mm trimmer attachment 5.0Ah kit**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>SPINDLE THREAD SIZE</b>	M10 x 1.25 LH
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,813mm
<b>KIT WEIGHT</b>	3.8g

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)  
EM409MP line trimmer attachment



**DUX18ZX2**



**18V LXT Brushless Split shaft Power Head w/ 330mm trimmer attachment**

- No load speed of 9,700rpm
- 2 stage speed control with variable speed trigger
- Lightweight design minimises user fatigue during long periods of use
- Lever style lock system allows for quick tool-less installation and replacement of attachments

<b>POWER OUTPUT</b>	470W
<b>NO LOAD SPEED (RPM)</b>	
<b>HIGH</b>	9,700
<b>LOW</b>	6,800
<b>HANDLE STYLE</b>	Loop handle
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	977mm
<b>SKIN TOOL WEIGHT</b>	2.5g

Combo Includes: Skin tool with EM409MP

**ONE TOOL, MANY JOBS**

IT ALL STARTS WITH THE POWER HEAD  
EASY TO USE. PLENTY OF POWER. READY TO GO



**SELECT YOUR APPLICATION**

A VARIETY OF ATTACHMENTS TO SUIT YOUR NEEDS

**EM406MP**  
Line Trimmer attachment  
420mm x 2.0

**EM409MP**  
Line Trimmer attachment  
330mm x 2.0

**EM407MP**  
Rotary Scissors attachment

**EE400MP**  
Edge Trimmer attachment

**EY403MP**  
300mm Pole saw attachment

**EN410MP**  
Hedge trimmer Straight attachment

**EN402MP**  
Hedge trimmer Attachment

**WA400MP**  
Weeding Attachment

**EN422MP**  
Ground Trimmer Attachment

**EN424MP**  
T-shape Ground Trimmer Attachment

**KR401MP**  
Cultivator Attachment

**BR400MP**  
Power Brush Sweeper

**SW400MP**  
Rubber Paddle Power Sweeper

**UB401MP**  
Blower Attachment

**UB402MP**  
Blower Attachment

**PF400MP**  
Pump Attachment

**LE400MP**  
Shaft Extension Attachment

**SN400MP**  
Snow Blower Attachment

**NEW SPRING RELEASE**

**NEW SPRING RELEASE**

**6"**



**DUC150Z**

**18V LXT Brushless 150mm Pruning Saw**

- Pruning saw intended for pruning both trees and shrubs and reducing pruning waste
- Lightweight at 2.0kg with 3.0Ah battery
- Narrow 1.1mm chain for longer runtime
- Max chain speed of 8.0m/s for smooth cutting
- Automatic chain lubrication

<b>POWER OUTPUT</b>	320W
<b>BAR &amp; CHAIN LENGTH</b>	(6") 150mm
<b>OIL TANK CAPACITY</b>	55ml
<b>STANDARD CHAIN</b>	325 / 043
<b>CHAIN SPEED: m/3</b>	480m/min
<b>NOISE: dB</b>	87dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	459mm
<b>SKIN TOOL WEIGHT</b>	1.1kg



**DUX60ZM6**

**18Vx2 (36V) LXT Brushless Split Shaft Power Head w/ 420mm Trimmer Attachment**

- Powerful Brushless 52 Motor Enables to Work under Heavy Load
- No Load Speed of 9,700rpm
- 3 Speed selection (High/Medium/ Low)
- Variable speed trigger switch for controlled cutting speed

<b>POWER OUTPUT</b>	600W
<b>NO LOAD SPEED (RPM)</b>	9,700
<b>MED</b>	8,200
<b>LOW</b>	5,700
<b>SPINDLE THREAD SIZE</b>	M10 x 1.25 LH
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,847mm
<b>KIT WEIGHT</b>	4.7kg

Combo Includes: Skin tool with EM406MP line trimmer



**DUX60PT2**



**18Vx2 (36V) LXT Brushless Split Shaft Power Head**

- Powerful Brushless 52 Motor Enables to Work under Heavy Load
- No Load Speed of 9,700rpm
- 3 Speed selection (High/Medium/ Low)
- Compatible with a variety of Makita couple shaft attachments for various applications
- Variable speed trigger switch for controlled cutting speed

<b>POWER OUTPUT</b>	600W
<b>NO LOAD SPEED (RPM)</b>	9,700
<b>MED</b>	8,200
<b>LOW</b>	5,700
<b>HANDLE STYLE</b>	Loop handle
<b>VARIABLE SPEED</b>	Yes
<b>REVERSING SWITCH</b>	Yes
<b>OVERALL LENGTH</b>	1,011mm
<b>SKIN TOOL WEIGHT</b>	3.4kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT**

**DUB186ST**

☑ DUB186Z

**18V LXT Floor Blower**

- Long leaf blower nozzle, ideal for clearing gardens & pathways
- 3 stage air volume settings & variable speed trigger
- Max. air velocity of 244.8km/h & max. air volume of 3.2m<sup>3</sup>/min
- Lightweight at only 2.1kg with battery
- Up to 2 hours runtime with 5.0Ah battery

<b>NO LOAD SPEED (RPM)</b>	18,000
<b>MAX AIR SPEED</b>	68m/s
<b>BLOWING FORCE</b>	2.5N
<b>MAX.AIR VELOCITY</b>	244.8km/h
<b>MAX.AIR VOLUME (m<sup>3</sup>)</b>	3.2m <sup>3</sup> /min / 113CFM
<b>NOISE dB(A)</b>	86db(A)
<b>OVERALL LENGTH</b>	861mm
<b>SKIN TOOL WEIGHT</b>	1.5kg

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18SD)



**LXT**

**DUB187T001**

☑ DUB187Z

**18V LXT Brushless Blower / Vacuum**

- Cruise control with variable speed trigger
- Vacuum bag capacity 25L
- Shredder blades for mulching
- 6m<sup>3</sup>/min Vacuuming air volume and 230km/h max blowing velocity
- Shoulder strap and front wheels reduce user fatigue
- Simple switch to convert to blower

<b>NO LOAD SPEED (RPM)</b>	9,000- 13,500
<b>MAX AIR SPEED</b>	68m/s
<b>MAX AIR SPEED (VAC)</b>	6.1m <sup>3</sup> /min
<b>BLOWING FORCE</b>	4.2N
<b>MAX.AIR VELOCITY</b>	230km/h
<b>MAX.AIR VOLUME (m<sup>3</sup>)</b>	4.2m <sup>3</sup> /min / 473CFM
<b>NOISE dB(A)</b>	94db(A)
<b>OVERALL LENGTH</b>	1,168mm
<b>SKIN TOOL WEIGHT</b>	3.4kg

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & charger (DC18WC)



**LXT BRUSHLESS**

**DUB363PT2V**

☑ DUB363ZV

**18Vx2 (36V) LXT Brushless Blower / Vacuum**

- Cruise control function
- Vacuum mulching function with 50L capacity bag
- 13.4m<sup>3</sup>/min air volume & 3.2kPa max suction
- Powerful 234km/h air speed
- Interlock stops start up if nozzle/fan cover incorrectly installed

<b>NO LOAD SPEED (RPM)</b>	5,300- 7,850
<b>MAX AIR SPEED</b>	65m/s
<b>MAX AIR SPEED (VAC)</b>	12.7m <sup>3</sup> /min
<b>BLOWING FORCE</b>	14.4N
<b>MAX.AIR VELOCITY</b>	245km/h
<b>MAX.AIR VOLUME (m<sup>3</sup>)</b>	13.4m <sup>3</sup> /min / 473CFM
<b>NOISE dB(A)</b>	94db(A)
<b>OVERALL LENGTH</b>	1,396mm
<b>SKIN TOOL WEIGHT</b>	6.8kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT**

**DUB184RT**

☑ DUB184Z

**18V LXT Brushless Blower**

- Variable speed trigger with cruise control function
- Powerful 187.6km/h air speed
- 13m<sup>3</sup>/min air volume / 459 CFM
- Lightweight at 3.0kg with battery
- Protection against dust and moisture XPT technology

<b>NO LOAD SPEED (RPM)</b>	18,000
<b>MAX AIR SPEED</b>	51.2m/s
<b>BLOWING FORCE</b>	11N
<b>MAX.AIR VELOCITY</b>	187km/h
<b>MAX.AIR VOLUME (m<sup>3</sup>)</b>	13.0m <sup>3</sup> /min / 459CFM
<b>NOISE dB(A)</b>	96db(A)
<b>OVERALL LENGTH</b>	824mm
<b>SKIN TOOL WEIGHT</b>	2.4kg

Kit includes:  
1 x LXT 5.0Ah battery (BL1850B) & rapid charger (DC18RC)



**BRUSHLESS X2**

**DUB362PT2**

☑ DUB362Z

**18Vx2 (36V) LXT Brushless Blower**

- Lightweight
- 3-stage telescoping long nozzle for user convenience
- Swift 194.4km/h & 13.4m<sup>3</sup>/min air volume
- Variable speed dial and lock on switch
- Optimum grip to frame angle
- In-line fan design provides better tool balance and improved ergonomics

<b>NO LOAD SPEED (RPM)</b>	11,400-21,500
<b>MAX AIR SPEED</b>	54m/s
<b>BLOWING FORCE</b>	20N
<b>MAX.AIR VELOCITY</b>	194km/h
<b>MAX.AIR VOLUME (m<sup>3</sup>)</b>	13.4m <sup>3</sup> /min / 473CFM
<b>NOISE dB(A)</b>	87.7db(A)
<b>OVERALL LENGTH</b>	930mm
<b>SKIN TOOL WEIGHT</b>	2.8kg

Kit includes:  
2 x LXT 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

**BLOWER / BLOWER VACUUM REFERENCE GUIDE**

	DUB187	DUB363	DUB186	DUB184	DUB362	UB001G	UB001C	UB002C	UB004C	UB003C
	9,000 13,500	5,300 7,850	18,000	18,000	11,400 21,500	20,000 23,000	21,000 24,000	22,000	10,500 23,800	4,000 22,000
Max Air Speed	68m/s	65m/s	68m/s	51.2m/s	54m/s	64m/s	70m/s	76m/s	80.7m/s	71.9m/s
Blow Force	4.2N	14.4N	2.5 N	11 N	14.4 N	17 N	20 N	22 N	28 N	24 N
Max. Velocity	230km/h	245km/h	244.8km/h	187 km/h	194 km/h	230 km/h	252 km/h	257 km/h	290 km/h	258 km/h
Air Vol.m <sup>3</sup> /min Vac / Blower	6.1 / 4.2	12.7 / 13.4	3.2	13 / 459 CFM	13.4 / 473 CFM	16 / 565 CFM	17.6 / 622 CFM	19 / 634 CFM	20.9 / 738 CFM	17.6 / 621 CFM
Noise dB(A)	94	94	86	96	87.7	94.1	92.9	95.5	96.1	95



**LXT**  
**DUC101SF** **Z** DUC101Z  
**18V LXT Brushless 100mm Pruning Saw**

- Pruning saw intended for pruning both trees and shrubs and reducing pruning waste
- Lightweight at 1.96kg with 3.0Ah battery
- Narrow 1.1mm chain for longer runtime
- Max chain speed of 8.0m/s for smooth cutting
- Automatic chain lubrication

<b>POWER OUTPUT</b>	320W
<b>BAR &amp; CHAIN LENGTH</b>	(4") 100mm
<b>OIL TANK CAPACITY</b>	55ml
<b>STANDARD CHAIN</b>	325 / 043
<b>CHAIN SPEED: m/3</b>	480m/min
<b>NOISE: dB</b>	87dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	357mm
<b>SKIN TOOL WEIGHT</b>	1.26kg

Kit includes:  
 1 x 3.0Ah battery (BL1830B) & charger (DC18SD)



**LXT**  
**DUC254RTN** **Z** DUC254ZN  
**18V LXT Brushless 250mm 10" Top Handle Chainsaw**

- Powerful Brushless Motor, lightweight
- Torque Boost Mode
- Chain Speed of 1,440m/min
- Ring and top handle layout perfect for climbing

<b>POWER OUTPUT</b>	570W
<b>BAR &amp; CHAIN LENGTH</b>	(10") 250mm
<b>OIL TANK CAPACITY</b>	140ml
<b>STANDARD CHAIN</b>	1/4" / 043
<b>CHAIN SPEED: m/3</b>	1,440m/min
<b>NOISE: dB</b>	92.2dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	482mm
<b>SKIN TOOL WEIGHT</b>	2.7kg

Kit includes:  
 1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)



**LXT**  
**DUC254ZNR**  
**18V LXT Brushless 250mm 10" Top Handle Chainsaw**

- Powerful Brushless Motor, lightweight
- Torque Boost Mode
- Chain Speed of 1,440m/min
- Ring and top handle layout perfect for climbing
- Orange High Visibility variation

<b>POWER OUTPUT</b>	570W
<b>BAR &amp; CHAIN LENGTH</b>	(10") 250mm
<b>OIL TANK CAPACITY</b>	140ml
<b>STANDARD CHAIN</b>	1/4" / 043
<b>CHAIN SPEED: m/3</b>	1,440m/min
<b>NOISE: dB</b>	92.2dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	482mm
<b>SKIN TOOL WEIGHT</b>	2.7kg

Kit includes:  
 1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)



**LXT**  
**DUC353PT2** **Z** DUC353Z  
**18Vx2 (36V) LXT Brushless 350mm 14" Chainsaw**

- High efficiency brushless motor provides power equivalent to a 32cc petrol chainsaw
- Variable speed trigger
- Chain Speed of 1,200m/min
- Adjustable chain oiling

<b>POWER OUTPUT</b>	1,100W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	87.7dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
 2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT**  
**DUC400PT2** **Z** DUC400Z  
**18Vx2 (36V) LXT Brushless 400mm 16" Chainsaw**

- Improved tool-less chain adjustment
- Metal Spike providing more control
- Chain Speed of 1,200m/min
- Variable speed trigger
- Adjustable chain oiling

<b>POWER OUTPUT</b>	1,100W
<b>BAR &amp; CHAIN LENGTH</b>	(16") 400mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	87.7dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	800mm
<b>SKIN TOOL WEIGHT</b>	4.2kg

Kit includes:  
 2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT**  
**DUC400ZR**  
**18Vx2 (36V) LXT Brushless 400mm 16" Chainsaw**

- Improved tool-less chain adjustment
- Metal Spike providing more control
- Chain Speed of 1,200m/min
- Variable speed trigger
- Adjustable chain oiling
- Orange High Visibility variation

<b>POWER OUTPUT</b>	1,100W
<b>BAR &amp; CHAIN LENGTH</b>	(16") 400mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	87.7dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	800mm
<b>SKIN TOOL WEIGHT</b>	4.2kg

Kit includes:  
 2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**LXT**  
**DUA301PT2** **Z** DUA301Z  
**18Vx2 Brushless 300mm Extension Pole Saw**

- Telescopic design provides high reach up to 2.5m to 3.8m
- Torque Boost Mode maximises output to power through thicker branches
- Chain speed of 20m/s for fast smooth cutting
- Integrated branch hook to easily remove cut branches
- Slim saw head design for improved maneuverability

<b>POWER OUTPUT</b>	1,000-1,400W
<b>BAR &amp; CHAIN LENGTH</b>	(12") 300mm
<b>OIL TANK CAPACITY</b>	160ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	105dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	2,826mm
<b>SKIN TOOL WEIGHT</b>	7.3kg

Kit includes:  
 1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)



**LXT**  
**DUA200Z**  
**18V Brushless 200mm Pole Saw**

- Telescopic design provides 1.6m – 2.5m
- 74mm slim shape of the tool head allows for easy insertion between branches
- Chain speed of 6.7m/s for fast smooth cutting
- Integrated branch hook to easily remove cut branches
- Tool head is adjustable in 9 stages between 60° upwards and 60° downwards

<b>POWER OUTPUT</b>	260W
<b>BAR &amp; CHAIN LENGTH</b>	(8") 200mm
<b>OIL TANK CAPACITY</b>	55ml
<b>STANDARD CHAIN</b>	.325" / 043
<b>CHAIN SPEED: m/3</b>	402m/min
<b>NOISE: dB</b>	86dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	2,520mm
<b>SKIN TOOL WEIGHT</b>	2.85kg



**14"**  
**BRUSHLESS X2**  
**DUC353PT2** Z **DUC353ZR**  
 18Vx2 (36V) LXT Brushless 350mm  
 14" Chainsaw

- High efficiency brushless motor provides power equivalent to a 32cc petrol chainsaw
- Variable speed trigger
- Chain Speed of 1,200m/min
- Adjustable chain oiling
- Orange High Visibility variation

<b>POWER OUTPUT</b>	1,100W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	87.7dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
 2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**14"**  
**BRUSHLESS X2**  
**DUC356PT2** Z **DUC356Z**  
 18Vx2 (36V) LXT Brushless 350mm  
 14" Top handle Chainsaw

- Torque boost mode - increases torque for better cutting efficiency
- Additional safety & control with a kickback brake and metal bumper
- XPT for increased dust and moisture resistance

<b>POWER OUTPUT</b>	1,200W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	89dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
 2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**14"**  
**BRUSHLESS X2**  
**DUC356PT2R** Z **DUC356ZR**  
 18Vx2 (36V) LXT Brushless 350mm  
 14" Top handle Chainsaw

- Torque boost mode - increases torque for better cutting efficiency
- Additional safety & control with a kickback brake and metal bumper
- XPT for increased dust and moisture resistance
- Orange High Visibility variation

<b>POWER OUTPUT</b>	1,200W
<b>BAR &amp; CHAIN LENGTH</b>	(14") 350mm
<b>OIL TANK CAPACITY</b>	200ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	1,200m/min
<b>NOISE: dB</b>	89dB
<b>TOOLLESS CHANGE</b>	No
<b>OVERALL LENGTH</b>	270mm
<b>SKIN TOOL WEIGHT</b>	3.5kg

Kit includes:  
 2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**16"**  
**LXT**  
**DUC407RTX2** Z **DUC407ZX2**  
 18V LXT Brushless 400mm 16"  
 Chainsaw

- Gear reduction for increased cutting torque
- Adjustable chain oiling
- Chain speed of up to 460m/min
- XPT for increased dust and moisture resistance
- Electric chain brake for fast stopping

<b>POWER OUTPUT</b>	610W
<b>BAR &amp; CHAIN LENGTH</b>	(16") 400mm
<b>OIL TANK CAPACITY</b>	150ml
<b>STANDARD CHAIN</b>	3/8" / 043
<b>CHAIN SPEED: m/3</b>	460m/min
<b>NOISE: dB</b>	97dB
<b>TOOLLESS CHANGE</b>	Yes
<b>OVERALL LENGTH</b>	428mm
<b>SKIN TOOL WEIGHT</b>	2.9kg

Kit includes:  
 1 x 5.0Ah battery (BL1850B) & rapid charger (DC18RC)

## CHAINSAW COMPARISON GUIDE

TOP HANDLE					REAR HANDLE				
570W	1,400W	1,200W	1,400W	1,100W	1,600W	610W	1,100W	1,600W	1,600W
DUC254	UC002G	DUC356	UC004G	DUC353	UC022G/25G	DUC407	DUC400	UC023G/26G	UC013G
250mm	250mm	350mm	400mm	350mm	350mm	400mm	400mm	400mm	450mm
(10")	(10")	(14")	(16")	(14")	(14")	(16")	(16")	(16")	(18")
480m/min	1,490m/min	1,200m/min	1,490m/min	1,200m/min	1,530m/min	460m/min	1,200m/min	1,530m/min	1,200m/min
260ml Oil	260ml Oil	200ml Oil	200ml Oil	200ml Oil	200ml Oil	150ml Oil	200ml Oil	200ml Oil	260ml Oil
Noise 104dB	Noise 104dB	Noise 89dB	Noise 100dB	Noise 87.7dB	Noise 101dB	Noise 97dB	Noise 87.7dB	Noise 101dB	Noise 104dB
1/4 / 043	.325 / 043	3/8 / 043	3/8 / 043	3/8 / 043	.325 / 043	3/8 / 043	3/8 / 043	.325 / 043	.325 / 043



**LXT**  
**DUH507SF** **DUH507Z**  
**18V LXT 500mm Hedge Trimmer**

- 26% lighter than the current model DUH523
- New blade design with reduced friction increases runtime
- Anti-vibration structure reduces vibrations transferred to the user
- 15mm maximum cutting diameter
- Two handed safety switch
- Electric brake for fast blade stopping

<b>POWER OUTPUT</b>	250W
<b>STROKES PER MIN</b>	2,700
<b>BLADE LENGTH</b>	520mm
<b>MAX.BRANCH THICKNESS</b>	15mm
<b>MAX.CUT OPENING</b>	26mm
<b>NOISE: dB</b>	85dB
<b>VIBRATION LEVEL</b>	1.1m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	925mm
<b>SKIN TOOL WEIGHT</b>	2.35kg

Kit includes:  
 1 x 3.0Ah battery (BL1830B) & charger (DC18SD)



**LXT**  
**DUH607SF** **DUH607Z**  
**18V LXT 600mm Hedge Trimmer**

- Lightweight at 3kg with battery
- New blade design with reduced friction increases runtime
- Anti-vibration structure reduces vibrations transferred to the user
- 15mm maximum cutting diameter
- Two handed safety switch
- Electric brake for fast blade stopping

<b>POWER OUTPUT</b>	250W
<b>STROKES PER MIN</b>	2,700
<b>BLADE LENGTH</b>	600mm
<b>MAX.BRANCH THICKNESS</b>	15mm
<b>MAX.CUT OPENING</b>	28mm
<b>NOISE: dB</b>	84dB
<b>VIBRATION LEVEL</b>	1.2m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	1,029mm
<b>SKIN TOOL WEIGHT</b>	2.1kg

Kit includes:  
 1 x 3.0Ah battery (BL1830B) & charger (DC18SD)



**LXT BRUSHLESS**  
**DUH606SF** **DUH606Z**  
**18V LXT 600mm Hedge Trimmer**

- Compact and lightweight for increased maneuverability
- Large 20mm cutting capacity
- 2 handed starting switch prevents accidental starting
- Double action blade - 6000mm length
- XPT technology that protects against dust and moisture

<b>POWER OUTPUT</b>	320W
<b>STROKES PER MIN</b>	4,000
<b>BLADE LENGTH</b>	600mm
<b>MAX.BRANCH THICKNESS</b>	20mm
<b>MAX.CUT OPENING</b>	30mm
<b>NOISE: dB</b>	92dB
<b>VIBRATION LEVEL</b>	1.5m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	1,116mm
<b>SKIN TOOL WEIGHT</b>	2.7kg

1 x 3.0Ah battery (BL1830B) & charger (DC18SD)  
 1 x 5.0Ah battery (BL1850B) & charger (DC18SD)



**LXT BRUSHLESS**  
**DUH602RT** **DUH602Z**  
**18V LXT 600mm Hedge Trimmer**

- Rotating rear handle can be adjusted 90° left and right
- Anti-vibration structure reduces vibrations transferred to the user
- 21.5mm maximum cutting diameter
- 3 stage variable speed control
- Blade release function reversing blade direction if jamming occurs

<b>POWER OUTPUT</b>	520W
<b>STROKES PER MIN</b>	2,000 / 3,600 / 4,400
<b>BLADE LENGTH</b>	600mm
<b>MAX.BRANCH THICKNESS</b>	21.5mm
<b>MAX.CUT OPENING</b>	35mm
<b>NOISE: dB</b>	87.4dB
<b>VIBRATION LEVEL</b>	3.0m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	1,221mm
<b>SKIN TOOL WEIGHT</b>	2.7kg

(ombo kit includes:  
 1 x 5.0Ah battery (BL1850B) & charger (DC18RC)



**LXT BRUSHLESS**  
**DUH751RT** **DUH751Z**  
**18V LXT 750mm Hedge Trimmer**

- New blade design with reduced friction increases runtime
- Rotating rear handle can be adjusted 90° left and right
- 23.5mm maximum cutting diameter
- Anti-vibration structure reduces vibrations transferred to the user
- 3 stage variable speed control

<b>POWER OUTPUT</b>	520W
<b>STROKES PER MIN</b>	2,000 / 3,600 / 4,400
<b>BLADE LENGTH</b>	750mm
<b>MAX.BRANCH THICKNESS</b>	23.5mm
<b>MAX.CUT OPENING</b>	35mm
<b>NOISE: dB</b>	93dB
<b>VIBRATION LEVEL</b>	2.5m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	1,261mm
<b>SKIN TOOL WEIGHT</b>	3.9kg

Kit includes:  
 1 x 5.0Ah battery (BL1850B) & charger (DC18RC)



**LXT**  
**DUN461WSF** **DUN461WZ**  
**18V LXT 460mm Pole Hedge Trimmer**

- Trim tall hedges or prune the twigs or thin branches of tall trees without using stepladder
- Telescopic shaft reaches up to 4m
- 10 blade positions with one touch angle adjustment
- 18mm maximum branch diameter
- Blade speeds of up to 3,600spm

<b>POWER OUTPUT</b>	250W
<b>STROKES PER MIN</b>	3,600
<b>BLADE LENGTH</b>	460mm
<b>TOOTH THICKNESS</b>	1.5mm
<b>MAX.CUT OPENING</b>	28mm
<b>NOISE: dB</b>	74dB
<b>VIBRATION LEVEL</b>	2.5m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	2,511mm
<b>SKIN TOOL WEIGHT</b>	3.0kg

Kit includes:  
 1 x 3.0Ah battery (BL1830) & charger (DC18SD)



**LXT BRUSHLESS**  
**DUN500WPT** **DUN500WZ**  
**18V LXT Brushless 500mm Articulating Pole Hedge Trimmer**

- 3-speed Brushless motor delivers 4,400 SPM for faster cutting
- Easy and quick adjustment to 45° tilt-up to 70° tilt-down, with 6 angle settings and can be folded 180° for easy transport and storage
- The triple-edged / Double sided cutting blades allows for optimum smooth cutting performance

<b>POWER OUTPUT</b>	520W
<b>STROKES PER MIN</b>	2,000 / 3,600 / 4,400
<b>BLADE LENGTH</b>	500mm
<b>TOOTH SPACING</b>	35mm
<b>MAX.CUT OPENING</b>	23.5mm
<b>NOISE: dB</b>	82dB
<b>VIBRATION LEVEL</b>	4.7- 2.5m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	2,115mm
<b>SKIN TOOL WEIGHT</b>	4.3kg

Kit includes:  
 1 x 5.0Ah battery (BL1850B) & charger (DC18SD)




**LXT BRUSHLESS**  
**DUN600WZ**   
**18V LXT Brushless 600mm Loop handle Pole Hedge Trimmer**


- 3-speed Brushless motor delivers 4,400 SPM for faster cutting
- Optimum curved blade for smooth cutting; New triple-edged cutting teeth are designed to easily catch and firmly hold twigs, also featuring excellent sharpness; Curved blades reduce friction resistance to suppress energy loss
- Non-angle adjustable hedge trimmer head

<b>POWER OUTPUT</b>	520W
<b>STROKES PER MIN</b>	2,000 / 3,600 / 4,400
<b>BLADE LENGTH</b>	600mm
<b>TOOTH SPACING</b>	35mm
<b>MAX.CUT OPENING</b>	23.5mm
<b>NOISE: dB</b>	83dB
<b>VIBRATION LEVEL</b>	3.8-2.7m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	2,050mm
<b>SKIN TOOL WEIGHT</b>	4.1kg

### HEDGE TRIMMER COMPARISON CHART



### POLE HEDGE TRIMMER COMPARISON CHART



110 mm



**DUM111Y001** **DUM111ZX**  
18V LXT 110mm Grass Shear

- 110mm Grass shear converts to 200mm hedge trimmer\*
- Lightweight design at only 1.8kg with battery
- 2,500 strokes per minute for smooth cutting
- Tool-less blade change
- Double action blade

<b>POWER OUTPUT</b>	150W
<b>STROKES PER MIN</b>	2,500
<b>HEDGE BLADE LENGTH</b>	200mm
<b>GRASS SHEAR BLADE</b>	110mm
<b>DEPTH ADJUSTMENT</b>	15 / 20 / 25mm
<b>VIBRATION LEVEL</b>	2.5m/s <sup>2</sup>
<b>NOISE LEVEL</b>	1.9 / 3.0 dB(A)
<b>OVERALL LENGTH</b>	305mm
<b>SKIN TOOL WEIGHT</b>	2.6kg

Kit includes:  
1 x 1.5Ah battery (BL1815N) & charger (DC18WC)



**DUP180T001** **DUP180Z**  
18V LXT Brushless Pruning Shears

- Up to 8,000 cuts with BL1860B
- 4 Stage blade adjustment for optimal efficiency
- 30mm maximum cutting diameter
- XPT - eXtreme Protection Technology
- Ergonomically designed handle

<b>POWER OUTPUT</b>	370W
<b>POWER SUPPLY CORD</b>	1.4M
<b>MAX CUTTING CAPACITY</b>	30mm
<b>MAX BLADE OPENING</b>	54mm
<b>SOUND LEVEL</b>	70dB(A)
<b>NOISE K FACTOR</b>	1.4dB
<b>CONTINUOUS RUN-TIME</b>	Up to 8,000
<b>OVERALL LENGTH</b>	296mm
<b>SKIN TOOL WEIGHT</b>	0.68kg

Kit includes:  
1x 5.0Ah battery (BL1850B) & Charger (DC18WC)



**DUP362PT2** **DUP362Z**  
18Vx2 (36V) LXT LXT Pruning Shears

- Up to 71,000 Cuts\* using 2 x 5.0Ah Batteries
- 33mm maximum cutting diameter
- 250N cutting torque
- 54mm maximum blade opening
- Ergonomically designed handle with soft grip

<b>POWER OUTPUT</b>	200W
<b>CUTTING TORQUE</b>	250 N
<b>MAX CUTTING CAPACITY</b>	33mm
<b>MAX BLADE OPENING</b>	54mm
<b>CORD LENGTH</b>	1,100mm
<b>NOISE K FACTOR</b>	1.4dB
<b>VIBRATION LEVEL</b>	2.5 m/s <sup>2</sup>
<b>OVERALL LENGTH</b>	305mm
<b>SKIN TOOL WEIGHT</b>	2.6kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)



**Slip-on Trekdry Gloves**  
Med (B-90364), L (B-90423)  
X-Large (B-90439)



**Abrasion Resistant Gloves**  
Med (B-90342), L (B-90386)  
X-Large (B-90392)



**Impact & Vibration Gloves**  
Med (B-90370) Large (B-90445)  
X-Large (B-90451)



**C5 Cut Resistant Gloves**  
Medium (B-90358), Large (B-90401)  
X-Large (B-90417)



**DHW180Z**  
18V LXT 348psi Cordless Pressure Washer

- Self-priming Easy to use by simply connecting a battery and water hose
- 5-in-1 nozzle allows for easy mode changes by rotating the nozzle head
- Two power modes (High/Low) depending on applications
- Lightweight at 2.8kgs with BL1860B

<b>MAX PRESSURE</b>	290 psi High 116 psi Low
<b>REGULAR FLOW</b>	2.5 L/min High 1.5 L/min Low
<b>MAX FLOW RATE</b>	5.3L/min
<b>NOISE LEVEL</b>	84dB(A)
<b>CONTINUOUS USE</b>	30mins 1 x 5Ah
<b>SUPPLY HOSE</b>	6M
<b>OVERALL LENGTH</b>	419mm
<b>SKIN TOOL WEIGHT</b>	1.95g

50L



**DHW080PT2** **DHW080ZK**  
18Vx2 LXT 1,160psi Cordless Brushless Pressure Washer

- Self-priming function allows storage box to be a cordless water source
- 50L Tank with Functional storage box
- Adjustable pressure function with two pressure modes
- Includes: Trigger gun, High pressure hose 5 m, Suction hose, Cleaner pin, Storage box, Variable nozzle, Connector, One touch joint

<b>MAX PRESSURE</b>	797 psi High 435 psi Low
<b>REGULAR FLOW</b>	5.5 L/min High 4.0 L/min Low
<b>MAX FLOW RATE</b>	6.3L/min
<b>NOISE LEVEL</b>	83dB(A)
<b>CONTINUOUS USE</b>	15mins on 2 x 6Ah
<b>SUPPLY HOSE</b>	5M
<b>OVERALL LENGTH</b>	434mm
<b>SKIN TOOL WEIGHT</b>	6.4kg

Kit includes:  
2 x 5.0Ah batteries (BL1850B) & dual charger (DC18RD)

5L



**DUS054SF** **DUS054Z**  
18V LXT 5L Sprayer

- 5L tank with ergonomic design for user comfort
- Dual action head allows for selection between mist or jet nozzle
- Up to 8hrs runtime on a 6.0Ah battery\*
- Extendable spray lance with lock on lever
- Lightweight design at 3kg with a battery (dry weight)

<b>MAX PRESSURE</b>	0.3Mpa
<b>SOLUTION TANK</b>	5L
<b>HOSE LENGTH</b>	1.7M
<b>SPRAY WAND LENGTH</b>	500-700mm
<b>NOZZLE MOUNT THREAD</b>	G 1/4
<b>PUMP TYPE</b>	Diaphragm pump
<b>LEVER TYPE</b>	Paddle
<b>OVERALL LENGTH</b>	368mm
<b>SKIN TOOL WEIGHT</b>	2.0kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)

10L



**DUS108Z**  
18V LXT 10L Backpack Sprayer

- 10L tank with ergonomic backpack design
- 600mm lance with dual cone and flat fan nozzles
- Up to 4.5 hours continuous operation on a 3.0Ah battery\*
- Lock on lever for minimal hand fatigue
- Battery fuel gauge to monitor remaining capacity

<b>MAX PRESSURE</b>	0.5Mpa
<b>SOLUTION TANK</b>	10L
<b>HOSE LENGTH</b>	1.7M
<b>SPRAY WAND LENGTH</b>	600mm
<b>NOZZLE MOUNT THREAD</b>	G 1/4
<b>PUMP TYPE</b>	Diaphragm pump
<b>PRESSURE LEVER</b>	Paddle
<b>OVERALL LENGTH</b>	437mm
<b>SKIN TOOL WEIGHT</b>	5.25kg



**LXT BRUSHLESS**

**DCU1802B**

**18V LXT Brushless Material handler Bucket**

- Holds 2x 18V batteries with battery selection switch (Only needs 1 battery to operate)
- Makita-built powerful brushless motor for optimal performance
- Maximum Load capacity of 130kg
- 2 stage speed selection High: 3.5km/h / Low: 1.5km/h

<b>MAX OUTPUT POWER</b>	250W
<b>MAX LOAD CAPACITY</b>	130kg
<b>FORWARD SPEED</b>	1.5-3.5km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Bucket Metal
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,310mm
<b>SKIN TOOL WEIGHT</b>	39.3 - 44.8 kg



**LXT BRUSHLESS**

**DCU1802F**

**18V LXT Brushless Material handler Frame**

- Holds 2x 18V batteries with battery selection switch (Only needs 1 battery to operate)
- Makita-built powerful brushless motor for optimal performance
- Maximum Load capacity of 130kg
- 2 stage speed selection High: 3.5km/h / Low: 1.5km/h

<b>MAX OUTPUT POWER</b>	250W
<b>MAX LOAD CAPACITY</b>	130kg
<b>FORWARD SPEED</b>	1.5-3.5km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Pipe Frame
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,560mm
<b>SKIN TOOL WEIGHT</b>	39.3 - 44.8 kg



**DCU604Z**

**18Vx2 LXT Brushless Material handler Pipe frame**

- Pipe frame adjustable from 625-1,015 x 945-1,090mm
- 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline
- Interchangeable buckets & frame option

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg
<b>FORWARD SPEED</b>	1.5, 3.5, 5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Pipe Frame
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,450mm
<b>SKIN TOOL WEIGHT</b>	119 kg



**DCU605Z**

**18Vx2 LXT Brushless Material handler Flat Bucket**

- 295L heaped bucket capacity
- 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg
<b>FORWARD SPEED</b>	1.5, 3.5, 5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Flat Bucket
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,440mm
<b>SKIN TOOL WEIGHT</b>	104 kg

15L



**LXT**

**DUS158F**

**DUS158Z**

**18V LXT 15L Backpack Sprayer**

- 15L tank with ergonomic backpack design
- 600mm lance with dual cone and flat fan nozzles
- Up to 4.5 hours continuous operation on a 3.0Ah battery\*
- Lock on lever for minimal hand fatigue
- Battery fuel gauge to monitor remaining capacity

<b>MAX PRESSURE</b>	0.5Mpa
<b>SOLUTION TANK</b>	15L
<b>HOSE LENGTH</b>	1.7M
<b>SPRAY WAND LENGTH</b>	600mm
<b>NOZZLE MOUNT THREAD</b>	G 1/4
<b>PUMP TYPE</b>	Diaphragm pump
<b>PRESSURE LEVER</b>	Paddle
<b>OVERALL LENGTH</b>	517mm
<b>SKIN TOOL WEIGHT</b>	5.55kg



**LXT BRUSHLESS**

**DCU601Z**

**18Vx2 Brushless Material Handling, Hydraulic Flat bed**

- 965 x 645mm flat bed with retractable guards
- Up to 1,020mm electric lift of 300kg
- 7.2km travelling distance with 4 x 6.0Ah batteries
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg (Flat Ground)
<b>FORWARD SPEED</b>	1.5-5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX INCLINE</b>	12° degrees
<b>TYPE</b>	Flat Bed
<b>MAX TRAVEL DISTANCE</b>	7.2km
<b>OVERALL LENGTH</b>	1,400mm
<b>SKIN TOOL WEIGHT</b>	145kg



**LXT BRUSHLESS**

**DCU602Z**

**18Vx2 Brushless Material Handling, Hydraulic Dump Bucket**

- Hydraulic powered tipping tray for easy unloading with up to 75° incline
- 200L heaped bucket, 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg (Flat Ground)
<b>FORWARD SPEED</b>	1.5-5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Heaped Bucket
<b>MAX TRAVEL DISTANCE</b>	7.2km
<b>OVERALL LENGTH</b>	1,480mm
<b>SKIN TOOL WEIGHT</b>	145kg



**DCU603Z**

**18Vx2 LXT Brushless Material handler heaped Bucket**

- 200L heaped bucket capacity
- 300kg Max load capacity up to 3° incline
- 7.2km travelling distance with 4 x 6.0Ah batteries\*
- Variable speed up to 5.0km/h + reverse
- Max climbing ability up to 12° incline

<b>MAX OUTPUT POWER</b>	1,250W
<b>MAX LOAD CAPACITY</b>	300kg
<b>FORWARD SPEED</b>	1.5, 3.5, 5.0km/h
<b>REVERSE SPEED</b>	0-1km/h
<b>MAX CLIMBING CAPACITY</b>	12° degrees
<b>TYPE</b>	Heaped Bucket
<b>LED LIGHT</b>	Yes
<b>OVERALL LENGTH</b>	1,480mm
<b>SKIN TOOL WEIGHT</b>	122 kg

Kit includes:  
1 x 3.0Ah battery (BL1830B) & charger (DC18SD)



**NEW QUICK LOAD Trimmer Head**  
**LOAD LINE IN SECONDS**  
**3 EASY STEPS**

**3 EASY STEPS**  
**LOAD LINE IN SECONDS**



**Trimmer Heads**

<b>QUICK LOAD</b>	<b>NEW</b>	1915D8-4 Quick Load Trimmer HEad	M10 x 1.25 LH M8 x 1.25LH	2.0mm		The flat bottom shape allows the trimmer head to maintain contact with the ground during operation, improving the efficiency of grass trimming.
	<b>NEW</b>	1915D7-6 Quick Load Trimmer HEad	M10 x 1.25 LH M8 x 1.25LH	2.4mm		The bump and feed functionality, enabled by the flat bottom design, makes it simpler for users to advance the trimming cord as it wears down.  The quick loading mechanism saves time and effort by eliminating the need to disassemble the trimmer head when replacing the nylon cord.
		191Y39-5 Spool Set				Replacement to suit DUR181 , DUR193
<b>RAPID LOAD SERIES</b>		191D89-4 102mm LH Bump & Feed Head	M10 x 1.25 LH	2.0mm 4 Leaf	4M	Replacement to suit DUR190, DUR192, DUX18, DUR368A,DUR368L, UR002G, UR003G, UR006G,UR007G, UR016G, UR017G, UR201C, EM403MP, EM406MP, EM409MP, DUR369A, DUR369L
		T-01753A 10mm LH Comfort Trim Bump & Feed Head	M10 x 1.25 LH	.095" Premium Round	6M. of .080" 5.4M of .095" 4.8M of .105" 3.9M .110"	Replacement to suit DUR190, DUR368A, DUR368L, DUX60, DUR369L, DUR369A, EM2650UH, DUR368L, DUR366L, EM400MP, EM403MP and EM405MP
		T-02917 8mm LH Comfort Trim Bump & Feed Head	M8 x 1.25 LH	.095" Premium Round	6M. of .080" 5.4M of .095" 4.8M of .105" 3.9M .110"	Replacement to suit DUR187L, DUR182L
		T-03187 8mm RH Comfort Trim Bump & Feed Head	M8 x 1.25 RH	.080/.095" Premium Round	6M. of .080" 5.4 of .095" 4.8M of .105" 3.9M of .110"	DUR187L/U, DUR188L, DUR190L/U, DUR191L/U, DUR188U, DUR189,DUR364L, DUR366L, DUR368A/L, DUR369A, DUR369L/N, UR001G, UR002G, UR003G, UR006G, UR007G, UR008G, UR016G, UR017G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP
		198383-1 255mm Plastic Blade Set Head	M8 x 1.25 R M8 x 1.25 L M10 x 1.25 L			Replacement to suit DUR187L/U, DUR188L, DUR190L/U, DUR191L/U, DUR188U, DUR189, DUR364L, DUR366L, DUR368A/L, DUR369A, DUR369L/N, UR001G, UR002G, UR003G, UR006G, UR007G, UR008G, UR016G, UR017G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP
<b>FIXED LINE</b>		B-02951* Fixed Line Trimmer Head	Universal	2.4mm x 0.75m x 2		Replacement to suit EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP
		1911Y2-9 130mm Trimmer head Bump & Feed Head	M10x1.25LH	2.7mm 4 Leaf	4m	Replacement to suit UR013
		199868-0 305mm Plastic Blade Set Head	M10x1.25LH			Replacement to suit DUR369A/L/N, UR101C, UR201C, UR202C, UR012G, UR013G

**Standard Accessories Robotic Mower™ for RM350D**



**1913M9-3**  
Swing back blade set (9 pieces)



**1913N2-4**  
Boundary and guide wire 150 meters



**1913N6-6**  
Ground peg set(50 pieces)



**1913N8-2**  
Boundary wire coupler set (5 pieces)



**1913N4-0**  
Wire repair kit RM350D



**783204-6**  
Allen key 6.0mm



**RST001**  
Charging Station



**630E40-0**  
AC adaptor set



**699234-6**  
Power cord set RM350D



**1913Y3-9**  
Boundary and guide wire 50 meters

**Optional Accessories**

Standard Nylon cord

Color / Shape	Ring (mm)	dia. (mm)	length (m)	Part No.
	Single	1.3	15	E-02727
	Single	1.6	15	E-02733
	Single	2.0	15	E-02705
	Single	2.4	15	E-02749
	Single	2.4	87	E-02761
	Single	2.4	15	E-02808
	Single	2.4	69	E-02814

Double-layer Nylon cord

Increased durability up to 130%\* thanks to Flexible core coated with Impact & abrasion resistant skin

\*compared to standard nylon cord



Color / Shape	Ring (mm)	dia. (mm)	length (m)	Part No.
	Single	3.0	15	E-02836
	Single	3.0	56	E-02842
	Single	3.0	15	E-02870
	Single	3.0	44	E-02886

Color chart

Dia.	Color / Shape	Light duty		Heavy duty	
		Low density	High density	Low density	High density
1.3mm		↔			
1.6- 1.65mm		↔↔			
2.0mm			↔↔		
2.4mm			↔↔↔		
3.0mm				↔↔↔↔	

Brush Cutter Attachments

Part #	Thickness	Fits Models
 198345-9 255mm 2T Blade	2mm	DUR369A DUR369L, UR006G, UR007G, UR101C, UR201C
 195150-5 230mm 4T Blade	1.8mm	DUR368A/L, DUR369A/L, UR002G, UR003G, UR006G, UR007G, UR016G, UR017G, UR101C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP
 196895-8 255mm 4T Blade	2.0mm	DUR369A/L, UR006G, UR007G, UR016G, UR017G, UR101C, UR201C
 D-73324 230mm 8T Blade	1.8mm	EM400MP, EM401MP, EM402MP, EM403MP, EM404MP
 195298-3 230mm Blade	3.0mm	DUR368A/L, DUR369A/L, UR002G, UR003G, UR006G, UR007G, UR016G, UR017G, UR101C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP
 199872-9 225mm Blade	1.8mm	UR013G
 195299-1 255mm 3T Blade	3.0mm	DUR369A, UR006G, UR007G, UR101C, UR201C
 195300-2 305mm 3T Blade	3.0mm	UR012G
 196745-7 203mm 2T Edger Blade	2.5mm	EE400MP
 199874-5 270mm 2T Shredder Blade		UR012G 199873-7 Protection Guard (UR012G) 1911Y1-1 Protection Guard (UR013G)

Part #	Fits Models
 191E43-4 Padded hanging bands	PDC1200A
 197243-4 Standard hanging bands	
Part #	Fits Models
 125520-4 Shoulder Strap	DUR368A DUR368U, DUR369A, DUR369U, UR002G, UR006G, UR007G, UR012G, UR013G, UR016G
 122906-3 Dual Shoulder Harness	DUR369A, UR002G, UR006G, UR007G
 196129-9 Professional Dual Shoulder Harness	DUR369A, UR006G, UR007G, UR012G, UR013G

Trimmer Accessories

Part #	Size	Fits Models
 197439-7 Hedge Trimmer Gear Grease N00	80g	All string trimmer, brush cutter, and hedge trimmer models
 199450-5 String Trimmer Gear Grease SG2	80g	
 195093-1 1 Ltr Bar and Chain		
 988 002 658 5 Ltr Bar and Chain		
 1910U0-9 Bio Oil 1 Ltr bar & Chain		
 980 008 611 Bio Oil 5 Ltr bar & Chain		



40V | 80V max

# MORE POWERFUL

TRADE DRIVEN • TRUSTED INVESTMENT™



## 139+ PRODUCTS\* XGT SYSTEM

40V max

80V max



2.5 Ah BATTERY



4.0 Ah BATTERY



HIGH-OUTPUT

4.0 Ah BATTERY



HIGH-OUTPUT

5.0 Ah BATTERY



HIGH-OUTPUT

8.0 Ah BATTERY

COMPACT SIZE

LEADING POWER-TO-WEIGHT RATIO

LONGER RUN TIME