

INDUSTRY LEADING POWER TOOL SOLUTIONS

MAY — JULY 2026



MAKE. MOVE. GO

HIKOKI

HIKOKI REDEMPTIONS

PURCHASE

18V Brushless 3-Tool Kit

KC183DA(GRZ)



RA18DA(G4Z)

BONUS*
WORTH \$219

PURCHASE

18V Brushless 3-Tool Kit

KC18DE(GCZ)



RA18DA(G4Z)

BONUS*
WORTH \$219

PURCHASE

18V Gasless 90mm Framer & 16G Angle Brad Nailer Kit

KC18DCAM(GRZ)



RA18DA(G4Z)

BONUS*
WORTH \$219

PURCHASE

18V/36V Brushless 4-Tool Kit

KC36184DA(GRZ)



RP18DLA(W4Z)

BONUS*
WORTH \$349

PURCHASE

18V/36V MULTI VOLT 10-Tool Kit

KC183610DE(GRZ)



EC36DA(H4Z)

BONUS*
WORTH \$779

PURCHASE

18V/36V Brushless 5-Tool Kit

KC18365DA(GRZ)



RP18DLA(W4Z)

BONUS*
WORTH \$349

PURCHASE

36V Brushless 6-Tool Kit

KC366DC(GRZ)



EC36DA(H4Z)

BONUS*
WORTH \$779

PURCHASE

18V/36V Brushless 8-Tool Kit

KC18368DE(GRZ)



EC36DA(H4Z)

BONUS*
WORTH \$779

PURCHASE

18V/36V Brushless 6-Tool Kit

KC18366DA(GRZ)



EC36DA(H4Z)

BONUS*
WORTH \$779

PROMOTIONAL PERIOD 1ST MAY - 31ST JULY 2026.
REDEMPTION CLOSING 10TH AUGUST 2026. BONUS VIA REDEMPTION.

*TERMS & CONDITIONS APPLY.

Offer via redemption and valid for purchases from 1 May 2026 - 31 July 2026. Redemption closes on 10th August 2026.

Not in conjunction with any other bonus offer. While stocks last. Qualifying tools must be purchased and invoiced together to qualify for the bonus offer.

Proof of purchase and photo of barcodes required. For full terms & conditions, and to redeem, go to www.hikoki.co.nz/promotions/



SCAN TO REDEEM

HIKOKI REDEMPTIONS

PURCHASE

36V Brushless Impact Drill & Impact Driver Kit
KC36DC(GRZ)



KDC13021
BONUS
WORTH \$499

PURCHASE

36V Brushless 3-Tool Kit
KC363DRBL(GRZ)



KDC13021
BONUS
WORTH \$499

PURCHASE

36V Brushless 5-Tool Kit
KC365DC(GRZ)



KDC13021
BONUS
WORTH \$499

PURCHASE

36V Brushless 28mm SDS+ Rotary Hammer
BARE TOOL
DH3628DA(H4Z)



BSL36A18X
BONUS
WORTH \$289

PURCHASE

36V Brushless 40mm SDS-MAX Rotary Hammer Drill
BARE TOOL
DH3640DA(G2Z)



BSL3640MVT
BONUS
WORTH \$399

PURCHASE

36V Brushless Rebar Bender/Cutter
BARE TOOL
VB3616DA(G4Z)



G3623DA(G4Z)
BONUS
WORTH \$599

PURCHASE

36V Brushless 230mm Angle Grinder
BARE TOOL
G3623DA(G4Z)



BSL3640MVT
BONUS
WORTH \$399

PURCHASE

36V Brushless SDS-MAX Demolition Hammer
BARE TOOL
H3641DA(H2Z)



BSL3640MVT
BONUS
WORTH \$399

PURCHASE

1340W 45J Heavy Duty Demolition Hammer
H65SB3(G1Z)



BONUS
18V Air Duster Kit

WORTH **\$569**

PROMOTIONAL PERIOD 1ST MAY - 31ST JULY 2026.
REDEMPTION CLOSING 10TH AUGUST 2026. BONUS VIA REDEMPTION.

*TERMS & CONDITIONS APPLY.

Offer via redemption and valid for purchases from 1 May 2026 - 31 July 2026. Redemption closes on 10th August 2026.

Not in conjunction with any other bonus offer. While stocks last. Qualifying tools must be purchased and invoiced together to qualify for the bonus offer.

Proof of purchase and photo of barcodes required. For full terms & conditions, and to redeem, go to www.hikoki.co.nz/promotions/



SCAN TO REDEEM

CHARGE ON THE GO

NEW HIKOKI USB POWER CHARGER UC18DA(H4Z)

HIKOKI's Cordless Power Solutions continues to expand, and with this new innovation, you can now charge and power up on the go with HIKOKI's **USB Power Charger**.

This Power Charger features a **USB Power Delivery (PD)** which is a protocol that enables high power charging of your HIKOKI 18V or Multi Volt Battery via USB-C cable, either on the move, or via the supplied AC Adaptor. **USB Power Delivery** allows connected devices to negotiate power levels, enabling fast charging and supporting a wide range of devices than traditional USB technology.

USB PD is not just about power – connected devices can switch power roles, allowing devices to both charge, and be charged by each other.

Recharge your HIKOKI battery in as little as 40 minutes, and use the HIKOKI Power Charger to power your laptop, phone, and any other compatible devices while away from mains power.



Charge your HIKOKI batteries on the go with USB PD



Charge large electronic devices like laptops



Charge your HIKOKI batteries via mains power



1x 65W USB-C PD IN/OUT for fast charging of HIKOKI batteries via mains power or USB-C PD outputs.



1x 5V-2.5A USB-C OUT for fast powering of electronic devices like phones and laptops.



1x 240V INPUT TO USB-C OUTPUT for fast mains charging of HIKOKI batteries and devices.



1x IN-BUILT LED LIGHT delivering 130 lumens for high visibility in low light.

HIKOKI T-PWR

UNLEASH MORE POWER

NEW BSL3640MVT 2160W MULTI VOLT T-PWR BATTERY

+50%
MORE POWER*

+45%
COOLER RUNNING*

+75%
MORE CUTS#



THE MULTI VOLT ADVANTAGE

HIGH OUTPUT MULTI VOLT BATTERIES

HiKOKI MULTI VOLT High Output Batteries redefine tool performance and power. Supercharge your work with HiKOKI's new high output cordless system powering over 190+ tools across two voltages.

1080W
MAX OUTPUT

5.0AH

2.5AH (36V)

18650

HIGH OUTPUT CELLS



BSL36A18X
HIGH OUTPUT BATTERY

1440W
MAX OUTPUT

8.0AH

4.0AH (36V)

21700

HIGH OUTPUT CELLS



BSL36B18X
HIGH OUTPUT BATTERY

50%
MORE POWER

2160W
MAX OUTPUT

8.0AH

4.0AH (36V)

21700

HIGH OUTPUT
TABLESS CELLS



NEW BSL3640MVT
HIGH OUTPUT TABLESS BATTERY

UNLEASH MORE TOOL POWER

HiKOKI MULTI VOLT Tabless Battery delivers more power to high energy power tools. T-PWR delivers G3613DVF more max output power, faster grinding and cutting speeds resulting in more productivity.

Example: G3613DVF cutting performance
(BSL36B18X vs BSL3640MVT)



BSL36B18X



BSL3640MVT

30%

MORE CONCRETE
IS CUT WITH
T/PWR BATTERY

27% more output
power when using
G3613DVF with
BSL3640MVT



1900W

BSL3640MVT



1500W

BSL36B18X

27%

MORE OUTPUT
POWER

UNLEASH FASTER CHARGING

NEW UC36YSL2 12A MAX FAST CHARGER

HiKOKI unleash the new 12Amp Max Fast Charger delivering unparalleled lightning quick charging times with extra safety benefits. UC36YSL2 features the latest in cutting-edge cooling systems, 3-way protection including overcharging and overheating technology. The UC36YSL2 is also compatible with generators and features a highly visible charge status light to easily identify the charging status wherever you are on the worksite.



12A MAX
FAST CHARGER

CHARGING TIMES:

25min

BSL36A18X

40min

BSL36B18X

40min

BSL3640MVT

+20%

FASTER CHARGING*



12A
FAST CHARGER



COOLING
SYSTEM



1x
USB-A PORT

*Vs. UC18YSL3



UNLEASH SUPERIOR NAILING



LEARN
MORE



NEW
INNOVATIVE MODEL

BRUSHLESS

**AIR SPRING
DRIVE SYSTEM**

**MORE
POWER**

**LIGHT
WEIGHT**

**FAST
NAILING**

NR1890DCA 90MM FRAMING NAILER FEATURES



AGGRESSIVE NEW NOSE

For effortless skew nailing even on extreme angles.



NEW BELT / RAFTER HOOK

Easily switch the hook to the left or right side.



DURABLE ALLOY MAGAZINE

New lightweight magazine for quick nail loading and easy cleaning.



POWERFUL LED LIGHT

Bright LED light for low light applications.

LIGHTWEIGHT SLIM BODY

This new 18V Gasless Framing Nailer is lighter, slimmer and more ergonomic than before. Featuring an advanced new brushless motor and slimline high pressure air chamber, this lightweight, compact framing nailer delivers you more power and performance.



NEW GASLESS NAILER INNOVATION

18V Gasless Framing Nailer & 16GA Angle Brad Nailer Combo Kit

KC18DCAM(GRZ)

- Improved design that's slimmer and lighter
- New aggressive new framer nose for effortless skew nailing
- HiKOKI's unique Air Spring Drive System
- More power - Sinks nails with ease
- Faster nailing speed - fires more nails per second
- Dry-fire lockout system prevents the nailer from driving when no fasteners are inserted in the tool

Supplied with 2x 1080W Multi Volt batteries, Rapid Smart Charger, Belt Hook, 2x System Case 4s.

Specifications	NR1890DCA	NT1865DA
Voltage	18V	18V
Driving System	Air Spring Drive	Air Spring Drive
Nail Type	Clipped Head	C Series
Nail Length	50 to 90mm	32 to 65mm
Nail Angle	30 to 34°	20°
Depth Adjustment	Tool-less	Tool-less
Dry-fire lockout mechanism	✓	✓
LED light	✓	✓
Hook	Belt / Rafter	Belt hook
Magazine Capacity	50 Nails	100 Nails
Dimensions (H x D x L)	359 x 133 x 310mm	323 x 105 x 298mm



Scan for full tool specs.



NEW 18V Gasless 90mm Framing Nailer Kit

NR1890DCA(GMZ)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Configurable belt/rafter hook

Supplied with 2x 1080W Multi Volt batteries, Fan-cooled Charger, Belt/Rafter Hook, Case 4.

Specifications	
Voltage	18V
Driving System	Air Spring Drive
Nail Type	Clipped Head
Nail Length	50 to 90mm
Nail Angle	30 to 34°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hook	Belt/Rafter ✓
Magazine Capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 310mm



Scan for full tool specs.

OPTIONAL ACCESSORIES

EXTENDED MAGAZINE
382417

NR1890DCA
BELT HOOK
383162

NO MAR TIP
382493



NEW 18V Gasless 15G Angle Finishing Nailer Bare Tool

NT1865DAA(H4Z)

- Improved new design that's slimmer and lighter
- More power - sinks 65mm 15G DA nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Supplied with Belt Hook, 3x No Mar Tip.
Supplied without battery and charger.

Specifications	
Voltage	18V
Driving System	Air Spring Drive
Nail Type	15G DA Series
Nail Length	32 to 65mm
Nail Angle	34°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.



NEW 18V Gasless 16G Straight Brad Nailer Bare Tool

NT1865DSA(H4Z)

- Improved new design that's slimmer and lighter
- More power - sinks 65mm 16G C series nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Supplied with Belt Hook, 3x No Mar Tip.
Supplied without battery and charger.

Specifications	
Voltage	18V
Driving System	Air Spring Drive
Nail Type	16G C Series
Nail Length	25 to 65mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.





NEW 18V Gasless 90mm Framing Nailer Bare Tool

NR1890DCA(G4Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Clipped Head
Nail Length	50 to 90mm
Nail Angle	30° to 34°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook/Rafter Hook	Steel ✓
Magazine Capacity	50 Nails

NEW 18V Gasless Round Head Nailer Bare Tool

NR1890DRA(W9Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Round Head
Nail Length	50 to 90mm
Nail Angle	21°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Hook	Belt/Rafter ✓
Magazine Capacity	43 Nails

NEW 18V Gasless 90mm Concrete Nailer Bare Tool

NC1840DA(G3Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Plastic Collated
Nail Length	15 to 40mm
Shank Diameter	2.6mm - 3.0mm
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Hook	Belt ✓
Magazine Capacity	25 Nails

NEW 36V Gasless Duplex Formwork Nailer Bare Tool

NR3675DD(W6Z)



Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Duplex Nails
Nail Length	45 to 75mm
Nail Angle	21°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	35 Nails

36V Gasless 65mm Metal Connector Nailer Kit

NR3665DA(GMZ)



Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Metal Connector
Nail Length	38 to 65mm
Nail Angle	36°
Nose Type	Positive Probe
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	31 Nails

NEW 18V Gasless 45mm Coil Roof Nailer Bare Tool

NV1845DA(W6Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Wire Coil Nails
Nail Length	25 to 45mm
Nail Angle	16°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
LED light	✓
Magazine Capacity	120 Nails

18V Gasless 16G Angle Brad Nailer Bare Tool

NT1865DA(G4Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	16G C Series
Nail Length	32 to 65mm
Nail Angle	20°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails

18V Gasless 18G Straight Brad Nailer Bare Tool

NT1850DA(G4Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	18G C1 Series
Nail Length	16 to 50mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails

NEW 18V Cordless 23G Pin Nailer Bare Tool

NP18DSAL(W4Z)



Specifications

Voltage	18V
Driving System	Spring Drive
Nail Type	23G Pin Nails
Nail Length	16 to 35mm
Nose Type	Precision Nose
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Pins

NEW 18V Cordless 13mm Fine Wire Stapler Bare Tool

N1812DA(W4Z)



Specifications

Voltage	18V
Driving System	Spring Drive
Staple Type	Crown width 13mm
Staple Length	6 - 13mm
Wire Thickness	0.5 x 0.7mm
Quick stapling Speed	Up to 5 staples/sec
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	150 Staples

NEW 18V Cordless 10mm Fine Wire Stapler Bare Tool

N1810DA(W4Z)



Specifications

Voltage	18V
Driving System	Spring Drive
Staple Type	Crown width 10mm
Staple Length	7 - 10mm
Wire Thickness	0.5 x 0.7mm
Quick stapling Speed	Up to 5 staples/sec
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	150 Staples

NEW 18V Gasless 18G Stapler Bare Tool

N1804DA(W4Z)



Specifications

Voltage	18V
Driving System	Air Spring Drive
Staple Type	Crown Gauge 18G 1/4"
Staple Length	13 to 38mm
Wire Thickness	1.25mm
Depth Adjustment	Tool-less ✓
LED Light	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Staples

High Performance Power Tools

18V 450g Grease Gun Kit

AL18DA(GRZ)

- Variable flow dial with 10 pre-set discharge pressure settings
- 690 bar max. discharge pressure
- 3-way filling system
- Lock-on trigger
- Two-mode operation (High/Low)

Supplied with 1x1080W battery, charger, case.



Scan for tool specs.

Barrel Capacity	450g
Flow Rate	High: 297mL / Low: 115mL
Max. Pressure	69/41MPa
Speed Modes	2 Modes
Flow Settings	10 Flow Settings
Hose Length	1200mm
Weight	4.3kg (BSL36B18X)
Voltage	18V

36V Brushless 40mm SDS-MAX Rotary Hammer Kit

DH3640DA(GAZ)

- Hammer Drilling or Chiseling modes
- Huge 9.2J impact energy
- User Vibration Protection (UVP)
- 4-stage speed selector
- Variable and constant speed control

Supplied with 2x 1440W Multi Volt Batteries, Rapid Charger, Case.



Scan for tool specs.

Impact Energy	9.2J
Bit Size	SDS-MAX
User Vibration Protection	UVP + LVH
Masonry	40mm
No Load Speed	0 - 500/min
Full Impact Rate	0 - 2,800/min
Weight	7.4kg (BSL36B18X)
Voltage	36V

18V Brushless Air Duster

BARE TOOL

RA18DA(G4Z)

- Variable speed control
- Lightweight and compact design
- Built-in LED light
- Tool-less nozzle changing
- Blowing, inflating and deflating nozzle

Supplied without batteries and charger. Includes Dust, Suction, Inflating & deflating nozzles.



Scan for tool specs.

Max. Airflow	0.7m ³ /min
Air Velocity	High: 122m/s Low: 100m/s
Max. Pressure	18kPa / 2.61PSI
No Load Speed	89,000/min
Switch Style	Trigger
Motor Type	Brushless
Weight	1.2kg (BSL36A18X)
Voltage	18V

36V Brushless SDS-MAX Demolition Hammer BARE TOOL

H3641DA(H2Z)

- Equivalent performance to H41MB2 AC model
- Compact and lightweight model
- Low vibration Handle (LVH)
- Tool angle adjustment system
- Variable speed control

Supplied without batteries and charger. Includes side handle, bullpoint attachment



Scan for tool specs.

Bit Shank	SDS-MAX
Impact Rate (High)	2,880/min
Impact Rate (Low)	1,500/min
Full Load Vibration	9.7m/s ²
Anti-Vibration System	LVH
Motor Type	Brushless
Weight	5.8kg (BSL36A18X)
Voltage	36V

18V 160psi Dual Pump Inflator

BARE TOOL

UP18DA(W4Z)

- High pressure mode for tyre inflation
- High volume mode for air beds
- Auto stop function
- Large LED status display
- Power via Battery or 12V DC adaptor

Supplied without batteries and charger. Includes 12V DC adaptor



Scan for tool specs.

Max. Pressure	160PSI
Filling Capacity (HP)*	16L/min at 130kPa
Filling Capacity (HV)*	430L/min
Hose Length (HP)	1200mm
Hose Length (HV)	490mm
LED Light	Yes
Weight	3.8kg (BSL36A18X)
Voltage	18V

18V HEPA 13 Wet & Dry Vac

BARE TOOL

RP18DA(W4Z)

- Compact, lightweight and portable
- Two suction modes (Eco / Boost Mode)
- Press clean button
- Dry and wet vacuuming
- HEPA 13 Filter

Supplied without batteries and charger. Includes hose, tubes, crevice & wide nozzle.



Scan for tool specs.

Filter Type	HEPA 13
Suction Work Rate	Boost: 35W / Eco: 80W
Runtime (BSL36B18X)	up to 44.5mins*
Max. Airflow	2.1m ³ /min
Max. Vac Pressure	12kPa
Protection Class	IPX4
Weight	5.1kg (BSL36B18X)
Voltage	18V

*HP = High Pressure/ HV = High Volume

CORDLESS DRILL SOLUTIONS

36V Brushless 13mm 155Nm Impact Drill Bare Tool

DV36DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case

Supplied without battery and charger.
Also available as a kit DV36DC(GRZ)



Scan for full tool specs.



Specifications

Torque	155Nm
Wood Capacity	118mm
Steel Capacity	20mm
Masonry Capacity	20mm
No Load Speed	500/2,200/min
Impact Rate	7,500/33,000/min

36V Brushless 13mm 155Nm Driver Drill Bare Tool

DS36DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.



Scan for full tool specs.



Specifications

Torque	155Nm
Wood Capacity	118mm
Steel Capacity	20mm
No Load Speed	500/2,200/min

18V Brushless 13mm 140Nm Impact Drill Bare Tool

DV18DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.



Scan for full tool specs.



Specifications

Torque	140Nm
Wood Capacity	118mm
Steel Capacity	16mm
Masonry Capacity	20mm
No Load Speed	500/2,200/min
Impact Rate	7,500/30,000/min

18V Brushless 13mm Impact Drill Bare Tool

DV18DE(G4Z)

- Compact, Powerful brushless model
- Reactive Force Control safety function
- Durable metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.
Also available as a kit DV18DE(GMZ)



Specifications

Drill Chuck	13mm
Wood Capacity	52mm
Steel Capacity	13mm
Masonry Capacity	13mm
No Load Speed	0-550/min (low) / 2,000/min (high)
Impact Rate	0-30,000/min



Scan for full tool specs.

36V Brushless 13mm Right Angle Drill Bare Tool

D36DYA(G4Z)

- Heavy duty brushless model
 - Superior drilling capacity up to 159mm hole saws
 - 2 speed gear box
 - Reactive Force Control for added safety
 - Heavy duty 13mm keyed chuck
- Supplied without battery and charger.



Specifications

Drill Chuck	13mm
Wood Capacity	118mm
Steel Capacity	13mm
Hole Saw	159mm
No Load Speed	0-400/min (low) / 0-1,500/min (high)



Scan for full tool specs.

18V 10mm Angle Drill Bare Tool

DN18DSL(G4Z)

- 10mm single sleeve keyless chuck
 - Compact model with low profile head
 - Variable speed paddle trigger
 - Electric brake
 - LED light to illuminate workspace
- Supplied without battery and charger.



Specifications

Drill Chuck	10mm
Wood Capacity	28mm
Steel Capacity	10mm
Overall Length	326mm



Scan for full tool specs.

36V Brushless 20mm Heavy Duty Impact Drill Bare Tool

DV3620DA(G4Z)

- Powerful heavy-duty brushless motor
 - For heavy-duty drilling applications
 - Designed for large capacity drilling under high load
 - 13mm heavy duty metal keyless chuck
 - Reduction gearbox to deliver high output
- Supplied without battery and charger.



Specifications

Core Bit Capacity	160mm
Wood Capacity	40mm
Steel Capacity	16mm
Masonry Capacity	20mm
No Load Speed	0-1,000/min (low) / 0-1,400/min (high)
Impact Rate	13,000/min (low) / 18,200/min (high)



Scan for full tool specs.

REACTIVE FORCE CONTROL WITH GYRO SENSOR



A Gyroscope sensor built in the controller measures angular velocity. When its value goes beyond a specified threshold, and the tool is swung dramatically, the motor stops.

RFC

WITH GYRO SENSOR

TORQUE BOOST TECHNOLOGY

TORQUE BOOST TECHNOLOGY COMBINES PRECISION, POWER AND SPEED FOR THE PERFECT SMOOTH CUT EVERY TIME EVEN UNDER HEAVY LOAD.

Torque Boost Technology combined with the Smart Auto Switch Mode automatically adjusts no-load speed and torque depending on the load and application.

Auto Switch Mode automatically adjusts no load speed between 6,000rpm (High Speed Cutting) and 4,500rpm (High Torque) achieving high speed cutting and high efficiency improving productivity.



TORQUE BOOST
TECHNOLOGY



C3607DB

TORQUE BOOST
TECHNOLOGY

200

2x

FASTER CUTTING SPEED

FAST CUTTING SPEED

Cutting speed is approximately 2 times faster than C3607DA when cutting SPF2x10 timber in Auto Switch mode.



C3607DA

100

0 Ratio %

PREMIUM CIRCULAR SAWS

C1805DA

18V Brushless
125mm Circular Saw



CUTS **47mm**

C1806DB 18V C3606DB 36V

165mm Circular Saw



CUTS **66mm**

C3607DB

36V Brushless
185mm Circular Saw

TORQUE BOOST



CUTS **62mm**

C3607DWA

36V Brushless
185mm Rear Handle Saw



CUTS **62mm**

OPTIONAL ACCESSORIES

339187

Rafter Hook



380742

Guide Rail Adaptor

Suits
C3607DB



AC Power
Adaptor ET36A



Compatible with 36V Tools

CD1805DB

18V Brushless 135mm
Metal Cutting Saw



CUTS **57.5mm**



Scan to view specifications for all Circular Saws

HIGH PERFORMANCE CORDLESS ANGLE GRINDERS

THE POWER OF HIKOKI CORDLESS TECHNOLOGY



G3618DA

36V Brushless
180mm Angle Grinder
Paddle Switch

UP TO **2350W** MAXIMUM OUTPUT*



G3623DA

36V Brushless
230mm Angle Grinder
Paddle Switch

UP TO **2350W** MAXIMUM OUTPUT*



G3613DVE

36V Brushless
125mm Angle Grinder
Slide Switch

UP TO **1900W** MAXIMUM OUTPUT*



G3613DVF

36V Brushless
125mm Angle Grinder
Paddle Switch

UP TO **1900W** MAXIMUM OUTPUT*



G1813DA

18V Brushless
125mm Angle Grinder
Slide Switch

UP TO **950W** MAXIMUM OUTPUT*



G1813DF

18V Brushless
125mm Angle Grinder
Paddle Switch

UP TO **950W** MAXIMUM OUTPUT*

AC-Like
Performance

Optional
Precision Cutting
Shroud CED125 PLUS



*When powered off a BSL3640MVT T-PWR Battery Pack.

SUPERIOR FEATURES MAXIMISED FOR OPTIMAL PERFORMANCE

G3613DVE/DVF Angle Grinders now exceed the performance of equivalent AC models. Both models have been optimally designed with the latest safety and high performance features.



AUTO Mode

The speed automatically shifts from 55% to 100% depending on the load preserving the battery energy.



Variable Speed Control

Adjust the rotation speed anywhere between 3,200 - 10,000rpm to suit the application.



Superior Dust Filtration

New mesh filter designed for additional protection from dust, reducing contamination of internal components.



Tool-less Guard Adjustment

Easy and hassle free quick guard adjustment system ensures this essential safety component is used correctly.



Super Slim Body Design

Smallest in class circumference - only 56mm making it easy to grip and control for extended periods.



Dual LED Lights

Dual LEDs illuminate both sides of wheels for superior visibility.

BEST IMPACT WRENCH POWER TO WEIGHT RATIO

HiKOKI Impact Wrenches delivers more nut busting torque and better power to weight ratio.

600Nm
NUT BUSTING TORQUE



WR18DH
2.0kg
(BSL36A18X)

700Nm
NUT BUSTING TORQUE



WR36DH
2.0kg
(BSL36A18X)

1050Nm
NUT BUSTING TORQUE



WR36DE
2.6kg
(BSL36A18X)

1650Nm
NUT BUSTING TORQUE



WR36DB
3.7kg
(BSL36A18X)

1800Nm
NUT BUSTING TORQUE



WR36DA
3.7kg
(BSL36A18X)

2000Nm
NUT BUSTING TORQUE



WR36DG
3.9kg
(BSL36A18X)

2400Nm
NUT BUSTING TORQUE



WR36DF
3.9kg
(BSL36A18X)

18V Brushless 1/2" 345Nm Impact Wrench Bare Tool

WR18DH(G4Z)

- Compact, lightweight and powerful
 - Huge 345Nm tightening torque
 - 600Nm nut busting torque
 - Auto Stop prevents over-tightening
 - Reverse rotation auto-slow function
- Supplied without batteries and charger.

Specifications

Voltage	18V
Square Drive	1/2" 12.7mm
Max Torque	345Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M10 - M20 HTB M10 - M16
IP Rated	IP56
Weight	2.0kg



Scan for full tool specs.

36V Brushless 1/2" 380Nm Impact Wrench Bare Tool

WR36DH(G4Z)

- Compact, lightweight and powerful
 - Huge 380Nm tightening torque
 - 700Nm nut busting torque
 - Auto Stop prevents over-tightening
 - Reverse rotation auto-slow function
- Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2" 12.7mm
Max Torque	380Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M10 - M20 HTB M10 - M16
IP Rated	IP56
Weight	2.0kg



Scan for full tool specs.

36V Brushless 1/2" 770Nm Impact Wrench Bare Tool

WR36DE(G4Z)

- Compact, lightweight and powerful
 - Huge 770Nm tightening torque
 - 1050Nm nut busting torque
 - Auto Stop prevents over-tightening
 - IP56 Water and Dust protection
- Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2" 12.7mm
Max Torque	770Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,400/min
Impact Modes	0 - 3,400/min
Capacity Bolt	OB M10 - M24 HTB M10 - M20
IP Rated	IP56
Weight	2.6kg



Scan for full tool specs.

36V Brushless 1/2" 1,050Nm Impact Wrench Bare Tool

WR36DB(G4Z)

- Powerful high torque model
 - Huge 1050Nm tightening torque
 - 1650Nm nut busting torque
 - 4 Mode selector
 - IP56 Water and Dust protection
- Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2" 12.7mm
Max Torque	1050Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,900/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

36V Brushless 3/4" 1,110Nm Impact Wrench Bare Tool

WR36DA(G4Z)

- Powerful high torque model
 - Huge 1,100Nm tightening torque
 - 1,800Nm nut busting torque
 - 4 Mode selector
 - IP56 Water and Dust protection
- Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	3/4" 19mm
Max Torque	1100Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

36V Brushless 1/2" 1,400Nm Impact Wrench Bare Tool

WR36DG(G4Z)

- Powerful high torque model
 - Huge 1400Nm tightening torque
 - 2,000Nm nut busting torque
 - Auto Stop prevents over-tightening
 - Reverse rotation auto-slow function
- Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2" 12.7mm
Max Torque	1400Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,500/min
Capacity Bolt	OB M12 - M33 HTB M10 - M24
IP Rated	IP56
Weight	3.9kg



Scan for full tool specs.

36V Brushless 3/4" 1,900Nm Impact Wrench Bare Tool

WR36DF(G4Z)

- Powerful high torque model
 - Huge 1900Nm tightening torque
 - 2,400Nm nut busting torque
 - Auto Stop prevents over-tightening
 - Reverse rotation auto-slow function
- Supplied without batteries and charger.

Specifications

Voltage	18V
Square Drive	3/4" 19mm
Max Torque	1,900Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,600/min
Capacity Bolt	OB M10 - M26 HTB M10 - M27
IP Rated	IP56
Weight	3.9kg



Scan for full tool specs.

36V Brushless 1/2" 1,050Nm Impact Wrench Kit

WR36DB(GPZ)

- Powerful high torque model
 - Huge 1050Nm tightening torque
 - 1650Nm nut busting torque
 - 4 Mode selector
- Supplied with 1x BSL36A18X, Rapid Charger, Belt Hook, Case 3.

Specifications

Voltage	36V
Square Drive	1/2" 12.7mm
Max Torque	1050Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,900/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

36V Brushless 3/4" 1,110Nm Impact Wrench Kit

WR36DA(GPZ)

- Powerful high torque model
 - Huge 1,100Nm tightening torque
 - 1,800Nm nut busting torque
 - 4 Mode selector
- Supplied with 1x BSL36A18X, Rapid Charger, Belt Hook, Case 3.

Specifications

Voltage	36V
Square Drive	3/4" 19mm
Max Torque	1100Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

A CHARGING SOLUTION FOR EVERY JOB.



Portable USB Power Charger Set

UC18DA(H4Z)

- Charges 18V & MULTI VOLT batteries
- 1x 65W USB-C PD IN/OUT
- 1x 5V-2.5A USB-C OUT

100min

CHARGING BSL36A18X

CHARGE MOBILE



Rapid Smart Charger

UC18YSL3(H0Z)

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- 1x USB-A 5V-2A Output

32min

CHARGING BSL36A18X

CHARGE FAST



12A Max Fast Charger

UC36YSL2

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- 1x USB-A 5V-2A Output

25min

CHARGING BSL36A18X

CHARGE FASTEST



4-Port Rapid Smart Charger

UC18YTSL

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- Simultaneous or Sequential charging modes
- 1x USB-A 5V-2A Output

32min

CHARGING BSL36A18X

CHARGE MORE



18V

36V

HiKOKI
POWER
BARE TOOL
MULTI



MULTI



HIKOKI
FOR ANY
JOB WITH
36VOLT



36VOLT

36V

A POWER SOLUTION FOR EVERY JOB.

360W
 MAX OUTPUT
2.0AH (18V)



18650
 HIGH OUTPUT CELLS
BSL1820M
 COMPACT LITHIUM-ION BATTERY

720W
 MAX OUTPUT
4.0AH (18V)



21700
 HIGH OUTPUT CELLS
BSL1840M
 COMPACT LITHIUM-ION BATTERY

1080W
 MAX OUTPUT
5.0AH (18V)
 2.5AH (36V)



18650
 HIGH OUTPUT CELLS
BSL36A18X
 HIGH OUTPUT MULTI VOLT BATTERY

1440W
 MAX OUTPUT
8.0AH (18V)
 4.0AH (36V)



21700
 HIGH OUTPUT CELLS
BSL36B18X
 HIGH OUTPUT MULTI VOLT BATTERY

2160W
 MAX OUTPUT
8.0AH (18V)
 4.0AH (36V)



21700
 HIGH OUTPUT TABLESS CELLS
BSL3640MVT
 HIGH OUTPUT TABLESS MULTI VOLT BATTERY



2000W
 MAX OUTPUT
230V
 INPUT POWER

36V
 POWER OUTPUT
ET36A
 AC POWER ADAPTOR

OUTDOOR POWER EQUIPMENT

NEW 36V Brushless 300mm Top Handle Chainsaw Bare Tool

CS3630DC(H4Z)

- High 12.6m/s cutting performance
 - Up to 390 cuts off a battery (BSL36B18X)
 - Top handle chainsaw with 300mm bar for professional tree pruning
 - Fast chain brake safety function
 - Low vibration, lightweight and compact model
- Supplied without battery and charger.



Scan for full tool specs.



36V Brushless 350mm Chainsaw Bare Tool

CS3635DB(G4Z)

- High 14.9m/s cutting performance
 - Superior torque and chain speed for powerful fast cuts
 - Toolless chain change and chain tension
 - Anti-kickback protection
 - Fast chain brake safety function
- Supplied without battery and charger.



Scan for full tool specs.



36V Straight Shaft Line Trimmer Bare Tool

CG36DB(G5Z)

- Variable speed control
 - 3 mode selector
 - Low noise, low vibration
 - Bike handles for wider cutting motion
- Supplied without battery and charger.
Includes nylon head, guard, shoulder belt.



Scan for full tool specs.



36V Straight Shaft Line Trimmer Bare Tool

CG36DB(G4Z)

- Variable speed control
 - 3 mode selector
 - Low noise, low vibration
 - Loop handle for easy control
- Supplied without battery and charger.
Includes nylon head, guard, shoulder belt.



Scan for full tool specs.



36V Brushless Blower Bare Tool

RB36DA(G4Z)

- High air velocity performance
 - 4-speed switch with turbo mode
 - 13.3m³/s² Air flow
 - 0-11.3m³/min Air Volume
- Supplied without battery and charger.



Scan for full tool specs.



36V 560mm Hedge Trimmer Bare Tool

CH3656DA(G4Z)

- 4 stage speed selector
 - Triple-edged 560mm blade
 - Durable alloy gearbox
 - Up to 60min runtime (BSL36A18X)
 - Lightweight and well balanced
- Supplied without battery and charger.



Scan for full tool specs.



18V One Handed Sabre Saw Bare Tool

CR18DA(G4Z)

- Variable speed
 - Compact design and one handed operation
 - Tool-less blade change and shoe adjustment
 - 50mm cutting capacity
- Supplied without battery and charger.
Includes blade.



Scan for full tool specs.



18V Brushless Pressure Washer Bare Tool

AW18DBL(H4Z)

- Can operate from mains or tank water
 - Approx 1.2L water user per min
 - 8L tank capacity
 - Water pressure is adjustable
 - Powerful brushless motor
- Supplied without battery and charger.
Includes gun, hose, variable nozzle.



Scan for full tool specs.



MULTI CRUISER

Modular Storage System

MULTI CRUISER MEDIUM TOOL BOX

379481

- Rugged impact resistant design
- Durable top handle
- IP65 water and dust rated
- Internal organiser trays
- External tie down points
- Robust hinge and clip connecting system



x2
ORGANISER CASES INCLUDED

IP65

MULTI CRUISER

Width	560mm
Depth	400mm
Height	158mm
Max Load Capacity	30kg
Accessories Included	x2 Organiser Case



Scan for specs.

MULTI CRUISER LARGE TOOL BOX

379484

- Rugged impact resistant design
- Durable side handles
- IP65 water and dust rated
- Inner tray for organisation
- External tie down points
- Robust hinge and clip connecting system



x1
ORGANISER TRAY INCLUDED

IP65

MULTI CRUISER

Width	560mm
Depth	400mm
Height	315mm
Max Load Capacity	60kg
Accessories Included	1x Organiser Tray



Scan for specs.

MULTI CRUISER PORTABLE TOOL BOX

379487

- 9" Large all terrain wheels with heavy duty metal axle
- Rugged impact resistant design
- Durable side handles
- IP65 water and dust rated
- External tie down points
- Robust hinge and clip connecting system
- 120kg weight loading



x1
ORGANISER TRAY INCLUDED



Width	560mm
Depth	480mm
Height	678mm
Max Load Capacity	120kg
Accessories Included	1x Organiser Trays

IP65

MULTI CRUISER



Scan for specs.

Optional Multi Cruiser Accessories

Accessorise your Multi Cruiser Storage to maximise versatility





MAKE. MOVE. GO

HIKOKI